Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





LIBRARY
RECEIVED

** JAN 25 1932 **
U. S. Department of Agriculture.

SWAN RIVER NURSERY

Patchogue, L. I., N. Y.

1932

CONDITIONS OF SALE

The prices in this list cancel all prices in previous lists.

FIRST—The articles herein listed will be furnished at prices designated as per following schedule:

One to five plants of one kind will be charged for at the single rate, whatever the aggregate of a list made up in numbers of less than five plants of a specific sort may be.

Five to forty plants of one kind will be furnished at the ten rate.

Forty to 250 plants of one kind will be furnished at the 100 rate when 100 rates are given, except in the case of perennials, when 25 of one kind will be given at the 100 rate.

FROM THIS SCHEDULE WE WILL NOT VARY because of the fact that it takes considerable time to assemble a list of plants that are scattered over the nursery.

SECOND—We warrant our stock to be true to variety named, and will replace any that may prove otherwise or refund the original price, but beyond that, we assume no responsibility. We guarantee our trees and plants to be in good condition when shipped, but we do not guarantee that such stock will live and grow, as it is obviously impossible to control the aftercar or the weather conditions which may surround transplanted stock.

THIRD—We make no charge for packing retail orders to be sent by freight, express or parcel post, except on large evergreens and large shade trees.

FOURTH-Our terms are cash.

MOTOR TRUCK DELIVERY—We operate motor trucks of different sizes and therefore can offer unlimited delivery service on Long Island and nearby points, making only a charge to cover the actual cost of such service; this of course depending on the size of the order and whether a special trip is required. Where possible we combine small orders and proportion the charges among the persons served; this makes the service much cheaper. Trees that are dug today are delivered tomorrow.

If desired, we will send experienced men to plant the trees and shrubs, charging for such service at actual cost.

COMPLAINTS—We will gladly rectify mistakes in filling orders, provided we are notified immediately on receipt of goods.

SHIPPING SEASON—Our Spring shipping season begins about the 25th of March, and continues until the last of May. In the Fall we begin shipping in August and continue until the ground freezes up for Winter.

Respectfully yours,

SWAN RIVER NURSERY PATCHOGUE, L. I., N. Y.

GRACE A. AVERY, HU

Owner

HUMPHREY R. AVER'S Manager

Telephone: Patchogue 1200

Practical Garden Books

Written by well-known authorities in a concise and lucid manner, handsomely printed, profusely illustrated and attractively bound in durable covers.

- THE BOOK OF ANNUALS—By Alfred C. Hottes. Over 100 separate species described with full directions for the culture and uses. 182 pages, 155 illustrations. Cloth, \$1.50.
- ALL ABOUT FLOWERING BULBS—By T. A. Weston. Written especially for the amateur, this book gives all the information the home gardener requires on the culture and flowering of bulbs of all seasons planted outdoors, as well as those that do well in the house. 184 pages, 8 full-page color plates. Cloth, \$2.00.
- A LITTLE BOOK OF CLIMBING PLANTS—By Alfred C. Hottes. Full information on climbers, ground-covers and creepers. 250 pages, 105 illustrations. Cloth, \$1.75.
- MODERN DAHLIA CULTURE—By Wm. H. Waite, the originator of "Jersey's Beauty" and other highly popular Dahlias. 132 pages with 32 illustrations (4 in color). Cloth, \$1.50.
- ADVENTURES IN DISH GARDENING—By Patten Beard. Tells how to make dish gardens with the use of living material and miniature figures. Illustrated with 65 halftones with their description on the opposite page. 4 color plates. 220 pages. Imi. lea., \$2.50.
- PRINCIPLES OF FLOWER ARRANGEMENT—By Prof. E. A. White. For all those who wish to display flowers to their fullest beauty in the home. 226 pages, 71 illustrations (6 in color). Imitation leather, \$3.00.
- GARDEN GUIDE—Each subject written by different experts. A veritable encyclopedia with information on all phases of gardening on the medium-sized place; flowers, fruits, vegetables, trees, shrubs, lawns, paths, rock gardens, water gardens, perennials, annuals, etc. 388 pages, 275 illustrations. Cloth, \$1.50.
- MILADY'S HOUSE PLANTS—By F. E. Palmer. Tells how to care for and raise all the house plants that succeed in the home. 176 pages, 96 illustrations. Cloth, \$1.25.
- PRACTICAL LANDSCAPE GARDENING—By Robert A. Gridland. Tells how to beautify and landscape your own home grounds. 280 pages with 260 illustrations, plans and sketches. Cloth, \$2.50.
- FOUNDATION PLANTING—By Leonard H. Johnson. A practical book for every home owner. Contains over 200 illustrations with plans and key to planting lists. Size 7½x10. 256 pages. Cloth, \$3.50.
- 1001 GARDEN QUESTIONS ANSWERED—By Alfred C. Hottes. Written in the popular form of questions and answers with full information on all gardening problems of the medium-sized home. 320 pages, 80 illustrations, Cloth, \$2.00.

Practical Garden Books

(Continued)

- THE BOOK OF PERENNIALS—By Alfred C. Hottes. How to successfully grow and enjoy over 125 species of our most popular and durable border plants. 280 pages, 103 illustrations. Cloth, \$1.50.
- ROCK GARDEN PRIMER—By Archie Thornton. Unusually complete information on the construction of rock gardens. Also gives care and culture of plants. 152 pages, 74 illustrations (4 in color). Imitation leather, \$2.00.
- BOOK OF SHRUBS—By Alfred C. Hottes. A complete, non-technical description of the common species and some of the uncommon with their characteristics, uses, soil, pruning and propagation. 446 pages, 187 illustrations. Cloth, \$3.00.
- WATER GARDENS AND GOLDFISH—By Sawyer and Perkins. Two closely related subjects treated under one cover. Small to medium pools. 112 pages, 59 illustrations. Cloth, \$1.50.
- THE WOMAN'S FLOWER GARDEN—By Jane L. Kift. Written by a practical woman gardener especially for women. The care and treatment of plants in the home and their cultivation outdoors. 160 pages, 15 illustrations. Cloth, \$1.25.
- PRACTICAL PEST CONTROL—By H. C. Tweedale. A 32 page illustrated pamphlet by an expert, experienced plantsman, telling in simple direct terms how to protect horticultural crops against injurious insects and diseases. Price 50c.
- LANDSCAPING THE SMALL HOME—By Edward W. Olver. Makes its direct appeal to the small home owner. 160 pages showing complete planting plans for the average small city or suburban home, as to the outdoor living room and home gardens. Price, cloth bound, \$2.00.
- FLOWERS OF THE WILD—By Frank C. Pellett. The author draws on his experience of many years, during which he hunted for hundreds of wild flowers and replanted them in his preserve. He gives full and explicit cultural directions for taking care of wild flowers in the home garden. 168 pages, 4 color plates. Price, \$2.00.

Include postage on all orders.

Write for free book catalog.

Suggestions for Planting

Preparing Holes

Dig the hole not less than 1 foot wider than the root area of the specimen it is to hold and from a foot to 2 feet in depth, according to the depth of its root system. If the soil is poor a few inches of rotted litter should be thrown into the bottom of the hole and dug in to the depth of 6 inches or more. If the soil at the bottom is hard, it should be broken up in a pulverized state to a depth of a foot or so.

Setting Tree

To prepare the tree for setting go over the root system carefully and cut all the broken or bruised portions tem carefully and cut all the broken or bruised portions of the roots with a clean, sharp knife or pruning shears. In setting the tree spread the roots out naturally so that they will not be twisted or crowded, then fill in gradually with fine soil, working it carefully under and about the roots, so that no holes or air spaces will be left. If it is a deciduous plant, shake the tree or shrub up and down so as to pack the soil layer by layer, carefully tramping it down until it is firmly packed about the roots. Continue this process until the hole is filled within 2 inches from the top. The remainder of the soil should be used in a way to form a small basin around the tree. be used in a way to form a small basin around the tree. This is to keep the water from running away when applied.

Mulching

In the Fall, place a mulch of dry leaves, hay or well rotted stable litter about the base of each tree. This mulch should be 6 inches deep and extend 2 to 3 feet beyond the natural spread of the roots.

Weight down with dirt, light slats or boards to prevent wind from blowing off during Winter. If well rotted straw, hay or stable litter has been used, spade in well around the base of each tree in the Spring. Any mulch that is of no value should be removed in early Spring as soon as the frost is out of the ground.

Watering

When dry weather comes on in the latter part of June, July, August and early September, it will be necessary to water newly planted evergreens, especially for the first two or three years after transplanting. A thorough watering twice a week is far more beneficial than a daily sprinkling of the topsoil.

Cultivation

Don't wait for your evergreens to begin to show signs of suffering before you start cultivation. Start keeping the soil stirred up immediately after planting. Frequent cultivation is the secret of moisture conservation. The ground must be kept loose and mellow by cultivating weekly.

Evergreens and Conifers

Evergreens are used in many ways, some of which are as follows: Specimens on a lawn, foundation plantings around houses, windbreaks, hedges and as screens for objectionable objects.

Our evergreens are thrifty, well-rooted and have been several times transplanted.

All evergreens will be balled and burlapped without charge.

We recommend planting during April, May and June, August, September and October.

August, September and Uctober.		
	Each	Per 10
ABIES Concolor (White Fir). Tall tre	e. Bluis	h-green
needles and symmetrical growth.		
men or group.		
*2 to 2½ ft	\$ 4.50	\$40.00
*2½ to 3 ft	6.00	55.00
* 3 to 4 ft	7.50	67.50
* 4 to 5 ft	11.00	
* 5 to 6 ft	15.00	
* 6 to 7 ft. specimens	20.00	
* 7 to 8 ft. specimens	25.00	
* 8 to 9 ft. specimens	30.00	
* 9 to 10 ft. specimens	35.00	
*10 to 15 ft. specimens \$50.00 to	100.00	
*15 to 20 ft. specimens \$75.00 to	100.00	
*20 to 25 ft. specimens \$150.00 to	200.00	
		.,
A. homolepsis (Nikko Fir). Has dark	green lea	ves, sil-
very white on the lower surface, with	h purple	
2 to 2½ ft		36.00
2½ to 3 ft.	5.00	45.00
*3 to 3½ ft	6.00	55.00
A. nordmanniana (Nordmann Fir)	Tall tro	o clow
growing. Dark, glossy green foli	age II	e, slow
specimen.	age. O	seu ioi
* 2 to 2½ ft	3.50	
* 2½ to 3 ft.	4.00	
* 3 to 4 ft	6.00	
* 4 to 5 ft	10.00	
* 5 to 6 ft	17.00	
* 6 to 7 ft	25.00	
* 7 to 8 ft	35.00	
* 8 to 10 ft	50.00	
0 10 10 1111111111111111111111111111111		
A. veitchi (Veitch Fir). Tall, symmetric	al tree.	Foliage
dark green above, silvery beneath.	Used fo	r speci-
men.		
2 to 2½ ft	3.50	32.50
2½ to 3 ft	4.50	42.50
J 10 4 IL.	6.00	
4 10) 11	9.00	
7 10 0 11	12.00	
0 10 0 11,	18.00	
0 10 10 11	30.00	
	40.00	
	50.00	
BUXUS (Boxwood). See Evergreen Sh	rubs.	
CEDRUS atlantica glauca (Blue Atlas C		Andi
tree of open growth. Fine steel-blue	needies	. Used

50.00

as specimen. *12 to 16 ft....

CEDRUS—Continued

Each	Per 10
C. deodora (Deodar Cedar). Graceful branches of silver gray foliage.	periaaras
2 to 3 ft 2.75	24.75
3 to 4 ft. 4.50	
	c 1:
C. libani (Lebanon Cedar). Dark or bluish grage; horizontal branches forming broad h	reen foli-
age; horizontal branches forming broad in	45.00
2 10 3 11	
J 60 1 141	
7 10 / 11	
CHAMAECYPARIS lawsoniana alumni (Sca	arab Cy-
press). Pyramidal tree, silvery blue folia	age, very
distinct.	17.50
18 to 24 in	
2 (0 2/2 10:	
2/2 10 7 101111111111111111111111111111111	
) (0)/2 10	
C. obtusa (Hinoki Cypress). Medium size, slow	-growing.
Rich, dark green, fern-like foliage. Forms	beautiful
specimen.	
18 to 24 in. 1.75	
2 to 2½ ft 2.50	
2½ to 3 ft 3.50	
3 to 3½ ft. 4.50	
3½ to 4 ft	
4 to 4½ ft 7.50	
4½ to 5 ft	
, , , , , , , , , , , , , , , , , , , ,	
20.00	
* 7 to 8 ft	
0 10 10 10	
C. obtusa compacta (Football Cypress). V	ery slow,
compact grower. Pyramidal.	22.50
18 to 24 in	
2 (0 2/2 10:	
2/2 00 3 10:	
0.00	
3½ to 4 ft	
* 4½ to 5 ft 12.00	
1/2 00 / 101-1-1-1	
C. obtusa crippsi (Cripps Golden Cypress).	A slow
growing golden leaved form. Bright yell	low at all
seasons.	0
*18 to 24 in	
2 00 2/2 100	
* 2½ to 3 ft	
* 3½ to 4 ft 12.00	
3/2 00 1 20	
C. obtusa nana (Dwarf Hinoki Cypress).	Compact
dwarf, forming dense, irregular mass.	Suitable
for rock garden.	0 2750
*10 to 12 in	
*12 to 15 in	
17 60 10 1111111111111111111111111111111	
10 to 21 1111	
*24 to 30 in	
20.0	

CHAMAECYPARIS—Continued

		C	T 17-71A	11 11		AKI	C01	LLIII	ueu	
										Per 10
C.	pisifera	(S	awar	a Cyr	ores	s). C	uick gr	ow	ing, py	ramidal.
	Broad	ı, f	lat fo	liage	of	deep	, glossy	gr	een.	
	$1\frac{1}{2}$	to	2	ft					1.50	13.00
	2	to	$2\frac{1}{2}$						1.85	15.00
	21/2	to	3						2.75	22.50
	3	to	3 1/2						3.50	30.00
	3 1/2	to	4						4.00	36.00
	4	to	5				·		6.00	55.00
	5 *6	to	6 7						9.00 12.00	85.00 110.00
	*14	to to	16	_					35.00	110.00
			10						37.00	
C.	pisifer		aurea				awara			Bright
							e as pi			
	1 1/2	to	2						1.50	13.50
	2	to	$2\frac{1}{2}$						2.00	18.00
	21/2	to	3						3.00	27.00
	3 3½	to	3 1/2						3.50	32.00
		to	4						4.50 6.00	40.00 55.00
	4 *5	to to	6						9.00	85.00
	*6	to	7						12.00	67.00
_										
C.	pisifera		itera	(Th	rea	d Ket	inospoi droop	a)	Brigh	nt green
	foliag	to	Lon 2						2.25	20.00
	2	to	21/2						3.50	33.00
	21/2	to	3						4.50	42.00
	3	to	3 1/2						5.50	50.00
4	3 1/2	to	4						6.50	60.00
	4	to	41/2						8.00	75.00
	*41/2	to	5						10.00	
	*5	to	6						12.00	
	*6	to	7	ft					15.00	
C.	pisifer	a fi	lifera	aur	ea	(Gol	den-thr	ead	Retin	ospora).
	Brigh	t g	olden	vell	ow	folia	ge. Slo	W 1	growing	
	11/2 1	ft							4.50	40.00
									6.00	
C.	pisifer	a t	olumo	osa (Plu	ıme	Retinos	not	a). F	orms a
٠.	dense	CC	ne o	f fin	e t	extur	e. Us	ef u	l for	shearing
	into									
	$1\frac{1}{2}$	to							1.50	12.50
	2	to	21/2	ft					1.75	15.75
	2 1/2	to	3	ft					2.50	22.75
	3	to	$3\frac{1}{2}$						3.50	30.00
	3 1/2	to	4						4.00	35.00
	4	to	5						6.00	55.00
	5	to	6						9.00	85.00
	6	to	8						15.00	140.00
C.	pisifer	a p	plumo	osa a	ure	a ((Golden	Pl	ume C	ypress).
	Dense		ass c	f yel	low	foli	age.		1 75	15.00
	18	to							1.75	15.00
	$\frac{2}{2^{1/2}}$	to	$\frac{21}{2}$						2.50 3.50	22.50
	3	to to	$\frac{3}{3\frac{1}{2}}$						5.00	45.00
	3 1/2	to	4						7.00	65.00
	4	to	5						9.00	85.00
	5	to	6						12.00	
	10	to	12	ft			40.00		50.00	
	12	to	14				_50.00		75.00	

CHAMAECYPARIS—Continued

CHAMAECYPARIS—Conti	nued	
	Each	Per 10
0 116 1 1 1011		
C. pisifera plumosa lutescens (Sulphu	r, Plume	Dwarf
Retinospora) Low, dwarf, roun	d-topped	bush.
Yellow-tipped branches.		
12 to 15 in	1.50	13.50
15 to 18 in	2.00	17.50
1½ to 2 ft	2.50	22.50
2 to $2\frac{1}{2}$ ft.	3.50	30.00
*2½ to 3 ft	5.00	40.00
*3 to 3½ ft	7.50	70.00
*3½ to 4 ft	10.00	
*4 to 5 ft	15.00	
C. pisifera squarrosa sulphurea (Sulphur	anlawad	Patino.
spora).	colored	Ketino-
• '		
1½ to 2 ft	2.25	
2 to 2½ ft	3.50	
C. pisifera squarrosa veitchi (Moss Retin	nospora)	. Foli-
age blue-gray, feathery and dense.	iospora,	
	2.00	10.00
1½ to 2 ft	2.00	18.00
2 to 2½ ft	2.75	25.00
2½ to 3 ft	4.00	-
3 to 3½ ft	6.00	
*3½ to 4 ft	7.00	
C. triomphe de Boskoop (Triomphe de press). Blue-green foliage. Slig Used as specimen.	htly per	dulous.
* 4½ to 5 ft	8.00	75.00
7 10 772 11	10.00	
772 to 0 It	15.00	
* 6 to 7 ft	18.00	
/ 10 0 11,	20.00	
* 8 to 9 ft	25.00	
* 9 to 10 ft	35.00	
*10 to 15 ft. specimen	150.00	
CRYPTOMERIA japonica compacta (Ja Large tree, forming narrow, irro Compact and picturesque. Rich,	apanese egular o bronze	Cedar). column. Winter
color.		
* 2½ to 3 ft	4.00	36.00
* 3 to 4 ft	6.00	55.00
* 4 to 5 ft	7.50	67.50
* 5 to 6 ft	10.00	90.00
* 6 to 7 ft	14.00	
* 7 to 8 ft	20.00	
CUPRESSUS goveniana glauca (Blue C Tall tree with slender spreading br ish-green foliage. Used as specime	Gowen Cy ranches. n.	ypress). Gray-
3 to 4 ft	4.00	35.00
4 to 5 ft.	6.00	55.00
5 to 6 ft.	8.00	75.00
6 to 7 ft	10.50	102.50
7 to 8 ft	12.00	117.50
/ 00 0 10	12.00	117.70

	Each	Per 10
JUNIPERUS chinensis (Chinese Jun	iper).	Formal
columnar type, having gray-green f	oliage.	
18 to 24 in	3.00	27.50
2 to 2½ ft	3.50	30.00
2½ to 3 ft	4.00	35.00
3 to 3½ ft	6.00	55.00
3½ to 4 ft	7.50	70.00
4 to 5 ft	9.00	85.00
5 to 6 ft	12.00	110.00
6 to 7 ft	15.00	
J. chinensis alba variegata (White Lead	Chine	se Juni-
per). Symmetrical low growing ever foliage interspersed with creamy bra	ergreen.	Bluish
foliage interspersed with creamy bra	inches.	
18 to 24 in		20.00
2 to 2½ ft	3.00	25.00
2½ to 3 ft	4.50	40.00
3 to 3½ ft	5.50	47.50
3½ to 4 ft	6.50	
I shimmeis afternione (Dform Innion)	Rana	J h.,
J. chinensis pfitzeriana (Pfitzer Juniper)	. Droad	d, bushy
habit, with horizontally spreading b green foliage. One of the best dwa	ranches.	Gray-
18 to 24 in	2.50	22.50
2 to 2½ ft	3.50	30.00
2½ to 3 ft	5.00	45.00
3 to 3½ ft	7.00	63.00
3½ to 4 ft	9.00	80.00
4 to 5 ft	15.00	130.00
5 to 6 ft	18.00	160.00
6 to 7 ft	25.00	100.00
0 10 / 11	27.00	
J. chinensis columnaris (Columnar Ch	inese J	uniper).
Very rapid growing spire-like evergr	een.	
4 to 5 ft.	8.00	75.00
5 to 6 ft	10.00	95.00
6 to 7 ft	12.50	115.00
7 to 8 ft	15.00	135.00
8 to 9 ft	20.00	
9 to 10 ft	25.00	
J. chinensis femina (Reeves Juniper).	Slander	spread.
ing branches. Low growing type.	Dictide	spread
2½ to 3 ft	6.50	57.50
3 to 3½ ft	8.50	77.50
3½ to 4 ft	12.00	110.00
· -		
J. chinensis fortunei. A broad irregula	r pyran	iid with
attractive gray-green foliage.	2 50	22.00
2 to 2½ ft	3.50	33.00
2½ to 3 ft.	4.50	40.00
3 to 3½ ft	5.50	50.00
3½ to 4 ft	6.50 8.50	60.00
		77.50 110.00
	12.00 15.00	110.00
J. chinensis sargenti (Sargent Juniper)	. A p	rostrate
evergreen with long, creeping branc	hes.	
12 to 15 in	3.00	27.00
15 to 18 in	4.00	36.00
18 to 24 in.	5.00	45.00
2 to 2½ ft	6.00	

JUNIPERUS—Continued

JOINII EROS—Collinide	·u	
	Each	Per 10
I communic (Common Juniper) Low	donso fo	stigiato
J. communis (Common Juniper). Low, form. Gray-green foliage.	delise, la	stigiate
form. Gray-green follage.	1.50	
15 to 18 in	1.50	13.50
	2.25	20.00
2 to 2½ ft		25.00
2½ to 3 ft		30.00
3 to 4 ft	5.00	45.00
4 to 5 ft		
		_
J. communis aurea (Douglas Golden spreading type. Bright golden fol	Juniper).	Low-
spreading type. Bright golden fol-	iage.	
18 to 24 in	2.50	
2 to 2½ ft		
2½ to 3 ft	4.50	
3 to 3½ ft	6.00	
J. communis depressa (Common Spre Spreading type with light bluish for 18 to 24 in	eading Ju	niper).
Spreading type with light bluish for	liage.	
18 to 24 in	2.25	
2 to 2½ ft	2.75	25.00
2½ to 3 ft	3.50	33.00
3 to 3½ ft		40.00
		47.50
4 to 4½ ft	- 6.50	
J. communis hibernica (Irish Juniper).	A ***	
J. communis interinca (first jumper).	A very	Hallow
pyramid of spire-like effect.	1.50	12.50
1½ to 2 ft		13.50
2 to 2½ ft		15.75
2½ to 3 ft	2.00	18.00
3 to 4 ft	3.00	27.50
4 to 5 ft	4.50	40.00
5 to 6 ft		
J. communis oblonga. Evergreen of	broad ir	regular
growth. Grayish foliage.		
18 to 24 in.	2.75	25.00
2 to 2½ ft	_ 3.75	35.00
2½ to 3 ft.		40.00
3 to 3½ ft		54.00
3½ to 4 ft		70.00
		70.00
J. communis suecica nana (Swedish Ju	niper). N	/ledium
size, quick growing, narrow, uprig	ht form.	
15 to 18 in		15.00
18 to 24 in		18.50
2 to 2½ ft		27.00
2½ to 3 ft.		35.00
J. excelsa stricta (Spiny Greek Cedar)	. Compa	t, well-
shaped pyramid. Foliage gray-gre	en.	
15 to 18 in.	1.75	15.50
18 to 24 in		27.00
2 to 2½ ft	4.00	35.00
2½ to 3 ft		
J. japonica (Japanese Juniper). Glob	e trimmed	l. Low-
growing spreading type. Dark gr	een foliag	e.
12 to 15 in	2.00	18.00
15 to 18 in	2.50	20.00
18 to 24 in.		25.00
2 to 2½ ft		40.00
2½ to 3 ft		
-,2 00 7 101	0.00	

JUNIPERUS—Continued

JOINII EROD Commuted		
	Each	Per 10
I janonica aurea (Golden Jananese I		
J. japonica aurea (Golden Japanese J slow-growing, spreading plant. Gol	dan-tine	ed folia
age.	dell-till	ed Ton-
	2.00	
18 to 24 in	3.00	
2 to 2½ ft	4.00	
2½ to 3 ft	5.00	
J. sabina (Savin Juniper). Dense, dark	green	foliage.
irregular spreading branches.		
18 to 24 in	2.50	22.50
2 to 2½ ft	3.50	31.50
2½ to 3 ft	4.50	40.00
3 to 4 ft.	6.00	54.00
J 10 7 11	0.00	74.00
J. squamata meyeri (Meyer Juniper).	Uprig	ht ever-
green shrub. Very dense habit. I	Handson	me blue
foliage.		
12 to 15 in	3.00	27.00
15 to 18 in	3.75	33.00
18 to 24 in	5.50	49.50
2 to 2½ ft	7.00	65.00
J. virginiana (Red Cedar). Tall and sler	nder. U	seful in
formal plantings.		
* 2 to 3 ft. sheared specimens	2.50	22.50
* 3 to 4 ft. "	3.75	35.00
* 4 to 5 ft. " "	4.50	40.00
* 5 to 6 ft. " "	6.50	58.50
* 6 to 7 ft. " "	8.50	77.50
* 7 to 8 ft. "	12.00	110.00
* 8 to 9 ft. "	15.00	140.00
* 9 to 10 ft. " "	20.00	180.00
*10 to 12 ft. " "	30.00	
*12 to 14 ft. " "	35.00	
*14 to 16 ft. " "	40.00	
J. virginiana albospicata (Whitetip Redo	edar).	Tips of
branches white. Medium height.		_
2 to 2½ ft	5.00	
2½ to 3 ft	6.00	
J. virginiana cannarti (Cannart Ced	ar).	Medium
height, dense growing, columnar for	rm tree	. Deep
rich green foliage.		
*3 to 4 ft	6.00	54.00
*4 to 5 ft	7.50	67.50
*5 to 6 ft	10.00	90.00
*6 to 7 ft	14.00	126.00
*7 to 8 ft	20.00	
*8 to 10 ft	30.00	
J. virginiana elegantissimi (Goldtip Red	cedar).	Bright
yellow-tipped branches. Bronze in *3 to 4 ft.	Winter.	
*3 to 4 ft	7.00	65.00
*4 to 5 ft	8.00	75.00
*6 to 7 ft	16.00	
*7 to 8 ft	22.00	
*8 to 9 ft	28.00	
*9 to 10 ft	35.00	

JUNIPERUS—Continued

J. virginiana glauca (Silver Redcedar) Forms dense column. Bluish-gray foliage. Used as specimen. 2 to 3 ft.		Each	Per 10
2 to 3 ft.	I. virginiana glauca (Silver Redcedar).	Form	s dense
2 to 3 ft.	column. Bluish-gray foliage. Used	as spec	imen.
* 4 to 5 ft			
* 4 to 5 ft.			54.00
* 5 to 6 ft.			
* 7 to 8 ft.) to 0 It	9.00	
* 8 to 9 ft	0 00 / 10	12.00	109.00
* 9 to 10 ft	/ 10 0 11		
*10 to 12 ft	0 10 9 11		
#12 to 14 ft	9 to 10 It		
J. virginiana Keteleeri. Upright, columnar tree; compact and formal. Deep green foliage. 4 to 5 ft			
pact and formal. Deep green foliage. 4 to 5 ft	*12 to 14 ft	50.00	
5 to 6 ft. 12.00 110.00 6 to 7 ft. 15.00 140.00 7 to 8 ft. 18.00 PICEA canadensis (White Spruce). Large tree of symmetrical growth. Dense, silvery foliage. 1½ to 2 ft. 1.50 2 to 2½ ft. 2.25 2 to 2½ ft. 3.00 3 to 4 ft. 4.00 4 to 5 ft. 5.50 5.50 50.00 *20 to 25 ft. specimens. 75.00 to 100.00	pact and formal. Deep green folia	ge.	
6 to 7 ft	4 to 5 ft	9.00	
PICEA canadensis (White Spruce). Large tree of symmetrical growth. Dense, silvery foliage. 1½ to 2 ft			
PICEA canadensis (White Spruce). Large tree of symmetrical growth. Dense, silvery foliage. 1½ to 2 ft			140.00
Symmetrical growth. Dense, silvery foliage. 1½ to 2 ft.	7 to 8 ft	18.00	
2 to 2½ ft	symmetrical growth. Dense, silvery	foliage.	tree of
2½ to 3 ft	1½ to 2 ft		20.00
3 to 4 ft			
### 4 to 5 ft.			
*20 to 25 ft. specimens_75.00 to 100.00 — P. engelmani (Engelmann Spruce). Broad pyramidal form with soft gray-green foliage. 2 to 2½ ft			
P. engelmani (Engelmann Spruce). Broad pyramidal form with soft gray-green foliage. 2 to 2½ ft			70.00
form with soft gray-green foliage. 2 to 2½ ft	20 to 27 it. specimens, 7.00 to	200.00	
2½ to 3 ft	form with soft gray-green foliage.		
P. excelsa (Norway Spruce). Large tree of rapid growth. Dark green foliage. Excellent windbreak. 1½ to 2 ft. 1.10 — 2 to 2½ ft. 1.50 13.50 2½ to 3 ft. 2.00 18.00 3 to 4 ft. 3.00 27.00 4 to 5 ft. 4.50 40.00 5 to 6 ft. 6.00 — * 6 to 7 ft. 8.00 — * 7 to 8 ft. 10.00 — * 8 to 10 ft. 18.00 — * 10 to 12 ft. 25.00 — * 12 to 14 ft. 30.00 — * 14 to 16 ft. 35.00 — Large specimens 50.00 to 150.00 — P. excelsa aurea (Golden Norway Spruce). Leaves a golden yellow. Likes partial shade. * 2 to 2½ ft. 4.50 — * 2½ to 3 ft. 6.00 — * 3½ to 4 ft. 8.00 — * 3½ to 4 ft. 8.00 — * 4 to 5 ft. 10.00 —			40.00
P. excelsa (Norway Spruce). Large tree of rapid growth. Dark green foliage. Excellent windbreak. 1½ to 2 ft. 1.10 2 to 2½ ft. 1.50 2½ to 3 ft. 2.00 3 to 4 ft. 3.00 5 to 6 ft. 4.50 6 to 7 ft. 8.00 * 7 to 8 ft. 10.00 * 8 to 10 ft. 18.00 * 10 to 12 ft. 25.00 * 12 to 14 ft. 30.00 * 14 to 16 ft. 35.00 Large specimens 50.00 to 150.00 P. excelsa aurea (Golden Norway Spruce). Leaves a golden yellow. Likes partial shade. * 2 to 2½ ft. 4.50 * 2½ to 3 ft. 6.00 * 2½ to 3 ft. 6.00 * 2½ to 3 ft. 6.00 * 3 to 3½ ft. 7.00 * 3½ to 4 ft. 8.00 * 4 to 5 ft. 10.00	2½ to 3 ft		
growth. Dark green foliage. Excellent windbreak. 1½ to 2 ft	3 to 3½ ft	6.20	
2 to 2½ ft	growth. Dark green foliage. Exce	llent wi	f rapid ndbreak.
2½ to 3 ft. 2.00 18.00 3 to 4 ft. 3.00 27.00 4 to 5 ft. 4.50 40.00 5 to 6 ft. 6.00 — * 6 to 7 ft. 8.00 — * 7 to 8 ft. 10.00 — * 8 to 10 ft. 18.00 — * 10 to 12 ft. 25.00 — * 12 to 14 ft. 30.00 — * 14 to 16 ft. 35.00 — Large specimens 50.00 to 150.00 — P. excelsa aurea (Golden Norway Spruce). Leaves a golden yellow. Likes partial shade. * 2 to 2½ ft. 4.50 — * 2½ to 3 ft. 6.00 — * 3 to 3½ ft. 7.00 — * 3½ to 4 ft. 8.00 — * 4 to 5 ft. 10.00 —	2 to 2½ ft		13.50
3 to 4 ft. 3.00 27.00 4 to 5 ft. 4.50 40.00 5 to 6 ft. 6.00 — * 6 to 7 ft. 8.00 — * 7 to 8 ft. 10.00 — * 8 to 10 ft. 18.00 — * 10 to 12 ft. 25.00 — * 12 to 14 ft. 30.00 — * 14 to 16 ft. 35.00 — Large specimens 50.00 to 150.00 — P. excelsa aurea (Golden Norway Spruce). Leaves a golden yellow. Likes partial shade. * 2 to 2½ ft. 4.50 — * 2½ to 3 ft. 6.00 — * 3 to 3½ ft. 7.00 — * 3 1½ to 4 ft. 8.00 — * 4 to 5 ft. 10.00 —			
4 to 5 ft. 4.50 40.00 5 to 6 ft. 6.00 — * 6 to 7 ft. 8.00 — * 7 to 8 ft. 10.00 — * 8 to 10 ft. 18.00 — * 10 to 12 ft. 25.00 — * 12 to 14 ft. 30.00 — * 14 to 16 ft. 35.00 — Large specimens 50.00 to 150.00 — P. excelsa aurea (Golden Norway Spruce). Leaves a golden yellow. Likes partial shade. * 2 to 2½ ft. 4.50 — * 2½ to 3 ft. 6.00 — * 3 to 3½ ft. 7.00 — * 3 1½ to 4 ft. 8.00 — * 4 to 5 ft. 10.00 —			
5 to 6 ft. 6.00 — 8 6 to 7 ft. 8.00 — 8 7 to 8 ft. 10.00 — 8 8 to 10 ft. 18.00 — 8 10 to 12 ft. 25.00 — 8 12 to 14 ft. 30.00 — 14 to 16 ft. 35.00 — 15 Large specimens 50.00 to 150.00 — 15 to 2½ ft. 4.50 — 15 to 3½ ft. 5 to 4 ft. 7.00 — 15 to 4 ft. 8.00 — 15 to 4 ft. 8.00 — 15 to 5 ft. 10.00 — 15 to 5 ft. 10.00 — 15 to 7 to 7 ft. 10.00 — 15 to 7 to 8 10 to 7 ft. 10.00 — 15 to 7 to 8 10 to 7 ft. 10.00 — 15 to 7 to 8 10 to 7 ft. 10.00 — 15 to 7 to 7 ft. 10.00 — 15 to 7 to 7 ft. 10.00 — 15 to 7 to			
* 7 to 8 ft. 10.00 — * 8 to 10 ft. 18.00 — * 10 to 12 ft. 25.00 — * 12 to 14 ft. 30.00 — * 14 to 16 ft. 35.00 — Large specimens 50.00 to 150.00 — P. excelsa aurea (Golden Norway Spruce). Leaves a golden yellow. Likes partial shade. * 2 to 2½ ft. 4.50 — * 2½ to 3 ft. 6.00 — * 3 to 3½ ft. 7.00 — * 3 1½ to 4 ft. 8.00 — * 4 to 5 ft. 10.00 —			
* 8 to 10 ft	0 10 / 11	8.00	
*10 to 12 ft. 25.00	/ 10 0 11	10.00	
*12 to 14 ft. 30.00 — *14 to 16 ft. 35.00 — Large specimens 50.00 to 150.00 — P. excelsa aurea (Golden Norway Spruce). Leaves a golden yellow. Likes partial shade. *2 to 2½ ft. 4.50 — *2½ to 3 ft. 6.00 — *3 to 3½ ft. 7.00 — *3½ to 4 ft. 8.00 — *4 to 5 ft. 10.00 —	0 10 10 11	18.00	
*14 to 16 ft			
P. excelsa aurea (Golden Norway Spruce). Leaves a golden yellow. Likes partial shade. *2 to 2½ ft			
P. excelsa aurea (Golden Norway Spruce). Leaves a golden yellow. Likes partial shade. *2 to 2½ ft. 4.50 *2½ to 3 ft. 6.00 *3 to 3½ ft. 7.00 *3½ to 4 ft. 8.00 *4 to 5 ft. 10.00			
golden yellow. Likes partial shade. *2 to 2½ ft	Large specimens 50.00 to	150.00	
*2 to 2½ ft. 4.50 — *2½ to 3 ft. 6.00 — *3 to 3½ ft. 7.00 — *3½ to 4 ft. 8.00 — *4 to 5 ft. 10.00 —			02000 2
*2½ to 3 ft	*2 to 2½ ft		Leaves a
*3½ to 4 ft			
*4 to 5 ft 10.00 ——	*2½ to 3 ft	4.50 6.00	
,	*2½ to 3 ft*3 to 3½ ft	4.50 6.00 7.00	Ecaves a
7) to 6 ft 12.00	*2½ to 3 ft *3 to 3½ ft *3½ to 4 ft	4.50 6.00 7.00 8.00	Ecaves a
	*2½ to 3 ft *3 to 3½ ft *3½ to 4 ft *4 to 5 ft	4.50 6.00 7.00 8.00 10.00	

PICEA—Continued

	East	Per 10
P. excelsa conica (Arrowhead Norway S		
pact symmetrical type Very slow	growing.	A com-
*2½ to 3 ft	8.00	
*3 to 3½ ft	10.00	
pact, symmetrical type. Very slow *2½ to 3 ft	12.00	
P. excelsa maxwelli (Maxwell Spruce) pact, dwarf. Very formal. *15 to 18 in	Round	
*15 to 18 in	15.00	
*18 to 24 in	20.00	
*2½ to 3 ft		
*3 to 3½ ft	35.00	
P. excelsa pendula (Weeping Norway	Spruce).	An in-
P. excelsa pendula (Weeping Norway) teresting and unique type, I branches.	naving i	nverted
*18 to 24 in	3.50	
*2 to 2½ ft	4.50	
*2½ to 3 ft	5.50	
*3 to 4 ft	6.50	
*4 to 5 ft	7.50	
P. excelsa pyramidalis (Pyramidal N The very erect branches form a r	orway S	pruce).
The very erect branches form a r	arrow p	vramid.
*3 to 4 ft	8.00	
*3 to 4 ft *4 to 5 ft	10.00	
*5 to 6 ft	12.00	
P. excelsa pigmea (Pigmy Norway Spalow growing evergreen. *18 to 21 in*21 to 24 in*21	oruce).	Dwarf,
*18 to 21 in	8.00	
*21 to 24 in	10.00	
P. excelsa remonti (Remont Spruce). Norway Spruce. Dense, formal gro	wth.	orm of
*2 to 2½ ft	10.00	
*2 to 2½ ft. *2½ to 3 ft. *3 to 3½ ft.	17.00	
*3½ to 4 ft	25.00	
P. glauca conica (Dwarf Elberta Sprupact, slow growing type.	ice). Ver	y com-
	3.50	33.00
*15 to 18 in	4.50	40.00
*18 to 24 in	8.00	72.00
*24 to 30 in *30 to 36 in	12.00 15.00	
30 to 30 III	17.00	
P. omorika (Servian Spruce). Handsom narrow habit. Very hardy. *18 to 24 in		dense,
*2 to 2½ ft	2.50 3.50	32,50
*2 to 2½ ft*2½ to 3 ft	4.50	
P. orientalis (Oriental Spruce). Medium	size, py	ramidal
tree. Dark green foliage. Slow gro	15.00	
* 5 to 6 ft * 6 to 7 ft	25.00	
* 7 to 8 ft		
* 8 to 10 ft		
*10 to 12 ft	60.00	

		PI	CEA-Cor	tinued		
					Each	Per 10
P	. polita ('	Tigertai	1 Spruce).	Light g	reen, spi	ky foli-
	age. Us	eful as	specimen.			
	*3 to 4	ft			8.00	
	*4 to 5	f t			11.00	
	*5 to 6				15.00	
	*6 to 7				25.00	
_	*7 to 8	ft			30.00	
P.	pungens	(Colora	do Spruce). Symm	etrical t	ree for
	specimer	ı or wi	ndbreak. F	oliage li	ght grees	n.
	2 to	2½ ft			3.00	27.00
	$2\frac{1}{2}$ to		•		4.00	35.00
	3 to *4 to				5.50	50.00
	4		•		8.00	75.00
	.4.				12.00	
D	*6 to	7 ft	·	D1 C	15.00	
P.			(Colorado		uce). Sy	mmetri-
		for spe	cimen. Blue	e romage.	2.00	19.00
	12 to 15 to	15 in 18 in			2.00 2.50	18.00 22.50
					3.50	31.50
	_				5.00	45.00
	$\frac{2}{2\frac{1}{2}}$ to				6.00	55.00
	*3 to				8.00	75.00
	*3½ to				10.00	95.00
	*4 to				12.00	
P.			(Koster Bl			erv-blue
••	foliage,		distinct col		c). Dir.	, 0.40
	*18 to		in		8.00	
	* 2 to		ft		11.00	
	* 2½ to		ft		14.00	
	* 3 to		ft		18.00	
	* 3½ to	. 4	ft		22.00	
	* 4 to		ft		25.00	
	* 4½ to		ft		30.00	
	* 5 to		ft		35.00	
	* 6 to	7	ft		37.50	
	* 7 to	8 c	ft		45.00	
	* 8 to	10	ft\$		100.00	
	*10 to		ft1	00.00 to	200.00	
	*15 to	20	ft2	00.00 to	250.00	
P.	pungens	kosteri	pendula	(Koster	Weepin	
	Spruce).	Very	drooping	type o	f Koste	r Blue
	Spruce.					
	* 4½ to		•		36.00	
	* 5 to				40.00	
	* 6 to		•		45.00	
	/ 10		•		50.00	
	* 8 to		•		60.00	
	*10 to				75.00	
PIC	NUS cemb	ra (Swi	ss Stone P	ine). Slo	w growin	g coni-
	cal tree.		bluish gree			
	*18 to		in		6.00	
	- L	0 2 1/2	ft		8.00	
	2/2 L	0 3	ft		10.00	
		0 3 1/2	ft		12.00	
	2/2 0	o 4 o 4½	ft		14.00 16.00	
	7 6		ft		18.00	
	at a	o 5 o 6	ft.		20.00	
	, ,	0 7	ft		25.00	
		0 /	ft		30.00	
		o 10			35.00	
	0 (0 10	1		37.00	

PINUS—Continued

	111.00		
		Each	Per 10
P.	montana mughus (Mugho Pine).	Slow	growing.
	symmetrical, dwarf. Foliage dark	green.	0 - 0,
	15 to 18 in	2.00	18.00
	1½ to 2 ft		27.00
	2 to 2½ ft		40.00
	2½ to 3 ft		49.50
	3 to 3½ ft	8.00	72.00
	3½ to 4 ft		110.00
	4 to 4½ ft	15.00	
P.	nîgra (Austrian Pine). Vigorous,	4	
Ρ.	tree. Foliage glossy, dark green. G	dense	growing
	planting.	ood for	seasmore
	2 to 2½ ft. sheared	2.50	22.50
	2½ to 3 ft. "	3.50	31.50
	2½ to 3 ft. "	5.00	45.00
	4 to 5 ft. "		72.00
	5 to 6 ft	12.00	110.00
	*6 to 7 ft	25.00	235.00
	*7 to 8 ft	35.00	325.00
	*Large specimens\$35.00 t		
Ρ.	resinosa (Red Pine). Vigorous, s	ymmetri	cal tree.
	Long, rich green needles, reddish l		
	2 to 3 ft.		
	3 to 4 ft.		40.00
	4 to 5 ft*5 to 6 ft		63.00
		9.00 15.00	81.00 140.00
	*6 to 7 ft	25.00	140.00
	8 to 10 ft.	35.00	
	10 to 12 ft	40.00	
	12 to 14 ft	50.00	
P	Strobus (White Pine). Tall, straigh	t tree w	ith blue-
	tinted foliage. Group or screen p	lanting.	
	2½ to 3 ft. sheared		22.50
	3 to 3½ ft. " *3½ to 4 ft "	3.00	27.00
	3/2 to 4 It	4.00	36.00
	7 (0) 11	5.00	40.00
		7.00	63.00
	0 to / It.	9.00	81.00 110.00
		18.00	110.00
	*8 to 10 ft	27.00	
	12 to 14 ft	40.00	
P. s	ylvestris (Sotch Pine). Hardy, quick	growin	g screen
	tree. Short blue-green twisted nee	dles. So	creen or
	specimen.		
	*2½ to 3 ft. sheared	2.25	20.00
	*3 to 4 ft. " *4 to 5 ft. "	3.00	27.00
		4.50	40.00
	5 to 6 ft	7.00	63.00
	6 to 7 ft	9.00	81.00
	7 to 8 ft	12.00	115.00
P.	tanyosho (Japanese Table Pine).	Low	growing
	round, symmetrical type. Used as	specime	
	18 to 24 in		62.50
	2 to 2½ ft	9.00	
	*Specimens\$50.00 to	150.00	

PINUS—Continued

PINOS—Continued		
	Fach	Per 10
D I I I I I DI I DI I DI		
P. thunbergi (Japanese Black Pine). Ex	cellent	tor sea-
shore, sandy, or windswept situation	ıs.	
2 to 2½ ft	2.75	24.75
2½ to 3 ft	4.00	36.00
3 to 4 ft	5.50	49.50
PSEUDOTSUGA douglasi (Douglas F	ir). Py	ramidal
tree of dense, graceful habit.		
2 to 3 ft	2.50	22.50
3 to 4 ft.	3.50	31.50
*4 to 5 ft	6.00	54.00
*5 to 6 ft	7.50	67.50
	10.00	07.20
*8 to 10 ft	20.00	
SCIADOPITYS verticillata_ (Umbrella	Dima)	Slow-
SCIADOPITYS verticillata (Umbrella	i-Pine).	Slow-
growing Japanese tree. Pyramidal	with	unusual
dark green needles. Used as specim		
*15 to 18 in		
*1½ to 2 ft	7.50	
*2 to 2½ ft	10.00	
*2½ to 3 ft	14.00	
*3 to 4 ft. specimens	18.00	
*2½ to 3 ft*3 to 4 ft. specimens*4 to 5 ft. specimens	25.00	
*5 to 6 ft. specimens	35.00	
*6 to 7 ft. specimens	40.00	
o to / it. specimens	40.00	
TAXUS baccata dovastoni aureovariegat	a (Yell	low Do-
vaston Yew). Low-growing, spread	ding b	ranchas
drooping at the end. Short green	moodle	anches,
drooping at the end. Short green	needie	s varies
gated with yellow.	5 00	
*18 to 24 in*2 to 2½ ft	5.00	
*2 to 2½ ft	7.00	67.50
*2½ to 3 ft	9.00	85.00
*3 to 3½ ft	12.00	
77 1 1 1 1 1 1 1 1		37 \
T. baccata elegantissima (Variegated	English	Yew).
Compact, symmetrical type. Foli	age clo	ose and
variegated.		
*18 to 24 in	5.00	
*2 to 2½ ft	7.00	
*2½ to 3 ft	9.00	
*3 to 3½ ft	11.00	
· · ·		
T. baccata hibernica (Irish Yew). Very	uprigh	at dense
branches. Dark glossy green foliage		
*12 to 18 in	6.00	57.50
*18 to 24 in	8.00	75.00
*2 to 2½ ft		110.00
T. baccata repandens (Spreading Engli growing, spreading branches, droops	sh Yew). Low-
growing, spreading branches, droop	ng at t	he end.
Very dark green needles.		
1½ to 2 ft	4.00	36.00
2 to 2½ ft	6.00	54.00
*2½ to 3 ft		
/ -//2 IO 3 II.		91.00
	9.00	81.00
*3 to 3½ ft	9.00 12.00	110.00
*3 to 3½ ft	9.00 12.00	110.00
*3 to 3½ ft	9.00 12.00 (ew).	110.00 Vigorous
*3 to 3½ ft	9.00 12.00 (ew).	110.00 Vigorous
*3 to 3½ ft	9.00 12.00 (ew).	110.00 Vigorous
*3 to 3½ ft	9.00 12.00 (ew).	110.00 Vigorous

TAXUS—Continued

TAXOS—Continued		
	Each	Per 10
T. canadensis (Canada Yew). Low	spreading	
1. canadensis (Canada 1ew). Low	spreading	habit.
Bronze in Winter. Prefers shade.		
15 to 18 in		27.50
1½ to 2 ft	4.00	37.50
2 to 2½ ft	5.00	47.50
2½ to 3 ft	7.50	67.50
3 to 3½ ft	10.00	97.50
3½ to 4 ft		100.00
4 to 4½ ft	15.00	
4½ to 5 ft		
5 to 6 ft		
) to 0 It	20.00	
T. cuspidata (Spreading Japanese Yew). Slow-g	rowing,
bushy type. Foliage rich, dark gree	en.	
15 to 18 in		22.50
18 to 24 in.		31.50
2 to 2½ ft		41.50
*21/ . 2 . 6	4.70	
*2½ to 3 ft *3 to 3½ ft *3½ to 4 ft	6.00	54.00
73 to 3½ ft	7.50	70.00
		140.00
*Large specimens\$20.00 t	o 40.00	
T. cuspidata capitata (Upright Japan	oso Yew)	. Sym-
metrical, pyramidal growth. Foli	ago rich	, dark
green.	age Hell	, uark
_		
1½ to 2 ft		36.00
2 to 2½ ft		45.00
2½ to 3 ft		58.00
*3 to 3½ ft		80.00
*3½ to 4 ft	16.00	144.00
*4 to 4½ ft	20.00	180.00
*4½ to 5 ft	23.00	207.00
*5 to 6 ft	27.00	
*6 to 8 ft 35.00 t	o 50.00	
TD 11 . 1 . 1 . (C 1)		37 \
T. cuspidata intermedia (Spreading	Japanese	Yew).
Slow-growing and similar to cuspi	idata, bui	much
more compact.		
15 to 18 in	3.50	30.00
18 to 24 in	4.00	36.00
2 to 2½ ft		45.00
2½ to 3 ft		81.00
*3 to 3½ ft.		110.00
*3½ to 4 ft	18.00	170.00
*4 to 4½ ft		170.00
*4½ to 5 ft		
7/2 (0) 1(,	27.00	
T. cuspidata nana (Dwarf Japanese Y	ew). Slow	grow-
ing, irregular and spreading. Ve	rv dark	oreen.
broad, thick leaves.	,	8,0011,
ŕ	2 75	22.50
15 to 18 in	3.75	33.50
18 to 21 in		40.00
21 to 24 in	5.50	50.00
2 to 2½ ft	7.50	67.00
*2½ to 3 ft		95.00
*3 to 3½ ft		
*3½ to 4 ft	20.00	

			_
		Each	Per 10
TF	HUJA occidentalis (American Arbon	vitae).	Slender
	pyramid, broad at base. Foliage bro Good for hedge or sheared specime		Winter.
			0.00
	18 to 24 in	1.00	9.00 12.00
	2½ to 3 ft	1.75	15.00
	3 to 4 ft	2.50	22.50
	4 to 5 ft	4.00	36.00
	5 to 6 ft	6.00	52.50
	6 to 7 ft	8.00	72.00
	7 to 8 ft	10.00	90.00
	* 8 to 9 ft	12.00	
	* 9 to 10 ft	18.00	
	*10 to 12 ft	22.00	
	*12 to 14 ft	25.00	
	*14 to 16 ft	30.00	
т	occidentalis caucasica (Caucasian Ar	1i	. \
1.			
	2 to 2½ ft	4.00	36.00
	2½ to 3 ft	5.00	
	5 to 572 ft	0.00	
т	occidentalis Columbia (Columbia Arbe	arviraa)	Strong
1.	growing pyramid. Foliage tips hav	orvitae)	v varia.
	gation.	C SIIVCI	y varie
	18 to 24 in	2,50	
	2 to 2½ ft	3.50	30.00
	2½ to 3 ft	4.00	36.00
	3 to 3½ ft	4.50	40.00
	3½ to 4 ft	5.50	50.00
	4 to 5 ft	7.00	63.00
	5 to 6 ft	9.00	80.00
	6 to 7 ft	11.00	100.00
T	'1 '1' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	C A 1	. ,
T.	occidentalis compacta (Parson's Dwa Formal globe-shape with bright gre	rr Arb	orvitae).
	12 to 15 in	1.00	9.00
		1.25	10.00 14.50
	18 to 24 in*2 to 2½ ft	2.50	14.70
	*2½ to 3 ft	3.00	
	*3 to 3½ ft	3.50	
	, ,		
T.	occidentalis Elwangeriana (Tom Thur	nb Arb	orvitae).
	Low, broad, pyramidal type. Dense	foliage,	of soft,
	close texture.		
	2 to 2½ ft	2.00	18.00
	2½ to 3 ft	2.50	22.50
	3 to 3½ ft	3.50	31.50
	3½ to 4 ft	4.50	
	4 to 4½ ft	5.50	
т	occidentalis globosa (Globe Arborvitae	Nam	*a1 com
1.	pact globe. Low growing.	, . I vatu	rai Com-
	12 to 15 in	1 25	11 25
	15 to 18 in	1.25	11.25
	18 to 24 in	1.75	15.00
	2 to 2½ ft	2.50	22.50
	2½ to 3 ft	3.00	27.00
	2 . 21/ (4.00	

3 to $3\frac{1}{2}$ ft. 4.00

THUJA—Continued

Inoja—Continued		
	Fach	Per 10
77		
T. occidentalis hoveyi (Hovey Arborvi		irt oval
type with dense, rich green foliage		
15 to 18 in	1.25	11.25
1½ to 2 ft	1.75	15.75
2 to 2½ ft		20.00
2½ to 3 ft		24.00
3 to 3½ ft		
3½ to 4 ft	4.50	
T :1 . I' 1 . (C . D 1		
T. occidentalis lutea (George Peabo		rvitae).
Strong-growing, pyramidal type w	ith bright	yellow
foliage.		
2 to 2½ ft		16.50
2½ to 3 ft	2.50	22.50
3 to 4 ft		30.00
4 to 5 ft		40.00
*5 to 6 ft	6.50	
*6 to 7 ft	9.00	
m 11 11 11 15 15 15		
T. occidentalis pyramidalis (Pyramid		rvitae).
Narrow, columnar type. Foliag	e bright	green
throughout Winter.		
2 to 2½ ft		13.50
2½ to 3 ft		20.00
3 to 4 ft		29.25
4 to 5 ft	5.00	45.00
5 to 6 ft	. 8.00	72.00
6 to 7 ft	10.00	90.00
7 to 8 ft	14.00	130.00
8 to 9 ft	18.00	
T. occidentalis rosenthali (Rosenthal A	rborvitae)	. Slow-
growing pyramid. Good green, der	ase foliage	2.
1½ to 2 ft	2.00	18.00
2 to 2½ ft	3.00	27.00
2½ to 3 ft	4.00	36.00
3 to 3½ ft	5.00	45.00
3½ to 4 ft	6.00	54.00
4 to 4½ ft		63.00
T. occidentalis spiralis (Douglas Pyrami	idal Arbo	rvitae).
Formal pyramidal type. Short fe	rn-like b	ranches
deep green foliage.		
2 to 3 ft	1.50	12.50
3 to 4 ft	2.50	22.50
4 to 5 ft		36.00
5 to 6 ft		60.00
6 to 7 ft		70.00
7 to 8 ft		90.00
8 to 9 ft		
0 10 / 11111111111111111111111111111111	27.00	
T. occidentalis vervaeneana (Vervae	ne Arbo	rvitae).
Broad pyramid. Foliage variegated		
to bronze in Winter.	,	
18 to 24 in	2.00	18.00
2 to 2½ ft	2.50	22.50
2½ to 3 ft	3.00	27.00
3 to 3½ ft		34.00
3½ to 4 ft	5.00	45.00
4 to 5 ft	6.00	
5 to 6 ft	8.00	
, to 0 It	0.00	

THUJA-Continued

			,	HUJA	1C	nnnuea		
							Each	Per 10
т	: 4			(1	V7	A1		
1.	occide	ntan	s ware	eana (w are	Arborv	itae). Lig	nt green,
	dense	e ro	mage.	Droad	, pyr	amidal	type.	11.05
	11/2							11.25
	2							15.75
	21/2							20.00
	3							
	3 1/2							
	4		5 f	t			5.00	
T.	orient	talis	aure	a nan	a (B	erkman'	s Golder and edgir ge a warr	Arbor-
	vitae). E	Excelle	nt for	form	al use a	and edgir	ng. Com-
	pact,	rot	ınded,	dwari	type	. Foliag	ge a warr	n golden
	yello	w.						
	12 to	o 1	5 in				1.85	15.00
	15 to	0 18	8 in					
	18 to	0 24	4 in				3.50	31.50
T.	orient	alie	21170	cons	nicua	(Golds	pire Arb	orvitae)
••	Fract	- 07	olden	yellow	folia	70101	piic iii	or vitae, .
	*18					.gc.	2.25	20.00
	* 2	to	21	6 ft			3.00	
	* 21/	2 to		f+			3.75	
	* 3	2 to						
	* 31/	2 to						
	* 4	2 to						
-	-							
1.	orienta	alis	elegan	tissima	(Ye	llow Col	lumn Ark	orvitae).
	Colu	mna					e in Wii	
	*18							
	* 2 * 21	, to	2 ½					
		2 to	3					
	* 3	te	$3\frac{1}{2}$	2 ft			6.00	
T.	orient	alis	comp	acta (Siebol	ld Arbo	rvitae).	Compact,
	oval	typ	e. Fol	iage g	ood g	green.		
	18	to	24	ın			1.50	13.50
	2	to	21/2	ft			2.25	20.00
	21/2	to	3	ft			3.00	27.00
	3	to	4	ft			4.50	
T.	orient	alie	nyra	midalis	(0)	riental 1	Pyramida	1 Arbor-
	vitae) S	et col	umnar	habi	r folian	Pyramida se bright	green in
	Sumi	ner	turni	na to	dull	hronza	in Winte	green in
	2	to.	21/2	fr Sh	agrad	spacima	ns 1.50	13.50
	21/2		3	ft.	"	apecime	2.25	20.00
	3	to		ft.	ee	**	3.00	
	4	to		ft.	**	**	4.75	42.50
	5	to		ft.	**	**	6.00	
	6	to		ft.	**	**	8.00	
	7	to		ft.	**	**	10.00	
	8	to		ft.	**	**	17.00	
	9	to		ft.	**	**	20.00	
	10	to		ft.	ee	**	25.00	
	12	to		ft.	**	**	30.00	
	14	to		ft.	**	**	35.00	
T					. 1			
T.							Vigorous,	
					ramic	. Used	in group	or speci-
	men		ntings	٠.			2.00	27.00
	18		24					
	2	to	21/2					
	21/2		3					
	3	to	4	_				
	4	to	5					
	5	to	6	ft			10.00	90.00

	Each	Per 10
TSUGA canadensis (Canada Hemlock).	Large	growing
tree of graceful habit. Spread	ling h	orizontal
branches. May be used as clipped l	hedge.	1
1½ to 2 ft	2.00	18.00
2 to 2½ ft	2.50	22.50
2½ to 3 ft	3.50	33.00
3 to 3½ ft	4.50	42.50
3½ to 4 ft	6.00	55.00
4 to 5 ft	8.00	75.00
5 to 6 ft	10.00	95.00
6 to 7 ft	16.00	150.00
7 to 8 ft	20.00	
8 to 9 ft	25.00	
9 to 10 ft	35.00	
T. carolineanum. Evergreen of good hal	de and	1
18 to 24 in	2.50	22.50
2 to 2½ ft	3.50	31.50
2½ to 3 ft	4.50	40.00
3 to 3½ ft	5.00	47.50
3½ to 4 ft	6.50	62.50
4 to 5 ft	9.00	02.70
T 10 / 11	7.00	
T. diversifolia (Japanese Hemlock). Gra	ceful s	preading
branches; dark green, glossy foliage	e	
18 to 24 in	5.00	
2 to 2½ ft	6.00	
2½ to 3 ft	7.00	
3 to 3½ ft	8.00	
3½ to 4 ft	9.00	
4 to 5 ft	10.00	
5 to 6 ft	14.00	

Evergreen Shrubs

In Winter, when the landscape is almost shorn of its beauty, the bright, glossy foliage of evergreen shrubs make a brave display, and are on this account, doubly valuable.

A 1 1	1	
A deep, cool, moist subsoil with protein ideal soil, and a shaded position is of	from arai	nage is
the ideal son, and a shaded position is c	nten prei	erable.
	Each	Per 10
AZALEA amoena (Japanese Azalea).	Attractive	e. pur-
ple-red flowers, April-May, Small	. bright	green
ple-red flowers. April-May. Small leaves in Summer, turning to a ric	h bronze	green
in Winter. 2-3 ft.		8
10 to 12 in	2.00	18.00
12 to 15 in	2.25	20.00
15 to 18 in	3.00	
18 to 21 in	4.50	
A. hinodegiri (Hinodegiri Azalea). B	right, ca	rmine-
pink flowers. April-May. Leaves larg	er than a	ımoena
and better habit. 3 to 4 ft.		
*10 to 12 in	2.25	
*12 to 15 in	3.00	
*15 to 18 in	4.00	
BERBERIS julianae (Wintergreen Ba	rherry)	Fairly
rapid growth with broad spined lea	avos	Lailly
15 to 18 in	2.00	
18 to 24 in	3.00	
B. ilicifolia (Holly Barberry). Holly-like	e leaves,	persist-
ing until new foliage appears; flow	vers yello	w.
12 to 15 in		10.00
15 to 18 in	1.50	12.50
18 to 24 in	1.75	
BUXUS japonica (Globe Form, Shear	ad)	
10 to 12 in	2.00	
12 to 15 in	3.00	
15 to 18 in	5.00	
18 to 24 in	7.00	
2 to 2½ ft	10.00	
B. japonica (Pyramidal Form, Sheared		
2 to 2½ ft	7.00	
2½ to 3 ft.	8.00	
3 to 3½ ft	11.00	
	14.00	
B. japonica (Tree or Standard Form, S	Sheared).	
12 to 18 in. high, 18 in. crown	10.00	
18 to 24 in. high, 18 in. crown	12.00	
24 to 30 in. high, 24 in. crown	15.00	
B. sempervirens (Common Box). Slo	w-growing	old-
B. sempervirens (Common Box). Slo fashioned evergreen, very useful	in form	al and
colonial plantings. May be sheared	and train	ned in-
to any form desired. 12-15 ft.		
10 to 12 in. bushy	.90	8.00
12 to 15 in. bushy	1.15	10.35
15 to 18 in. bushy	1.50	13.50
18 to 24 in. bushy	2.50	22.50
24 to 30 in. bushy		40.50

BUXUS—Continued

	Each	Dan 10
n ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '		
B. sempervirens rotundifolia (Round-leaf I strong-growing type, having a good	30x). A	hardy,
leaf. 12-15 ft.	green,	round
18 to 24 in	4.75	
2 to 2½ ft	6.50	
2½ to 3 ft	8.00	
B. sempervirens suffruticosa (True Dwar	(Bau)	Email
lent for hedges in informal garden,	2 to 3	excer-
6 to 8 in. Per 100, \$50.00	.75	6.50
6 to 8 in	.85	8.00
10 to 12 in " " 90.00	.85 1.25	10.00
12 to 15 in	1.75	15.00
COTONEASTER horizontalis (Rock Coto	neaster). Low-
spreading shrub. Small, shiny leav berries. 1 to 1½ ft.	es, brig	ht red
berries. 1 to 1½ ft.		
15 to 18 in	1.50	13.50
18 to 24 in	2.00	17.50
2 to 2½ ft	2.50	22.50
2½ to 3 ft	3.00	25.00
EUONYMUS japonicus (Japanese Euon	ymus).	Bushy,
upright habit. Lustrous deep green 15 to 18 in	leaves.	• •
15 to 18 in	1.50	13.50
18 to 24 in	2.00	17.50
E. radicans acutus (Sharpleaf Winterc	reeper).	Habit
similar to radicans. Long, narrow	leaves,	purple
tinted underneath. 3 years	.75	6.00
4 years	1.50	13.50
·		
E. radicans vegetus (Bigleaf Wintercre	eper).	Strong
growing, shrubby vine. Handsome ro Abundant scarlet fruit. 2 years	ind gree	en leat.
2 years	75	6.00
3 years	1.00	8.00
HEDERA helix (English Ivy). Evergreen	ciingin	g vine.
Medium plants	50	4.50
Extra strong plants	.80	7.50
ILEX crenata (Japanese Holly). Rapid green shrub. Glossy, dark green leav	growin	g ever-
Grows to 6 to 8 ft.	es. Diac	K Iruit.
15 to 18 in	3.00	27.50
15 to 18 in	3.50	31.50
2 to 2½ ft	4.50	40.00
2½ to 3 ft	6.00	54.00
3 to 3½ ft	7.50	70.00
3½ to 4 ft	9.00	
4 to) It	14.00	
5 to 6 ft	20.00	
I. glabra (Inkberry). Dense growing shrugreen leaves. Does well in shade. 5 t	b. Shin	y, dark
green leaves. Does well in shade. 5 t	o 6 ft.	10.00
12 to 15 in	2.00	18.00 22.50
15 to 18 in	3.50	31.50
2 to 2½ ft	4.50	40.00
2½ to 3 ft	6.00	54.00
2½ to 3 ft	7.00	

	Each	Per 10
KALMIA latifolia (Mountain-laurel).		
age with showy clusters of pink	flowers in	June.
Likes shade. Grows to 5 to 7 ft. 15 to 18 in	2.00	17.50
1½ to 2 ft	2.25	20.00
2 to 2½ ft	3.00	27.00
2½ to 3 ft	4.00	35.00
3 to 3½ ft	5.00	45.00
3½ to 4 ft	. 7.50	
4 to 4½ ft	. 9.00	
4½ to 5 ft 5 to 6 ft		
LEIOPHYLLUM buxifolium (Box San	dmyrtle).	Dense-
ly branched, low evergreen shrub	, white bl	ossoms
produced in profusion.		
12 to 18 in 18 to 21 in	1.75	
2 to 2½ ft	2.25	
LEUCOTHOE catesbaei (Drooping Lewith spreading, slender branches.	eucothoe).	Shrub
with spreading, slender branches.	Lustrous	green
leaves. Rich Autumn color. Whi June. 3 to 4 ft.		May-
June. 3 to 4 ft. 12 to 15 in	2.00	18.00
15 to 18 in.	2.25	20.00
15 to 18 in	2.75	
2 to 2½ ft.	_ 3.50	
MAHONIA aquifolia (Oregon Hollyg shrub having shiny green leaves v in Winter. Showy yellow flowers. well in half shade. 4 to 5 ft.	mana) Ema	
should beging shiny groon leaves	rape). Eve	heana
in Winter Showy vellow flowers	May-Tune	Does
well in half shade 4 to 5 ft.	Iviay - Julie	. 2003
15 to 18 in.	1.25	11.00
15 to 18 in 18 to 24 in	2.00	18.00
2 to 2½ ft	3.00	27.00
2 to 2½ ft	3.50	31.50
3 to 3½ ft	4.50	40.00
PACHYSANDRA terminalis (Japanes	e Pachysa	ndra).
Evergreen trailing vine. Dark gre	en leaves.	Small
Evergreen trailing vine. Dark gre spikes of whitish flowers in May. Go	ood ground	cover
in shade where grass will not grow	w. 6 in.	
Medium plants100, \$15.00	.25	2.20
in shade where grass will not gro Medium plants100, \$15.00 Strong plants100, 20.00	.30	2.75
PIERIS floribunda (Mountain Andron		
round, dwarf shrub. Dense dark	green f	oliage:
round, dwarf shrub. Dense dark masses of white flowers in early	Spring. E	Best in
manaial abada 1 fa		
15 to 18 in	3.00	
18 to 24 in	4.50	40.00
2 to 2½ ft		54.00
P. japonica (Japanese Andromeda).	Dense g	rowing
shrub. Foliage rich green, grace	ful white	flower
P. japonica (Japanese Andromeda). shrub. Foliage rich green, grace clusters. Partial shade. May. Grows	to 4 to 5 f	t.
1) to 18 in	3.00 4.50	27.00
18 to 24 in	4.50	
2 to 2½ ft	_ 6.00	54.00
YUCCA filamentosa (Common Yucca)). Long, n	arrow,
leaves. Many creamy flowers on June. 2 to 3 ft. Strong plants	tall flower	spike.
June. 2 to 3 ft.		
Strong plants	1.00	9.00
Extra strong plants	1.50	14.00

RHODODENDRON

	MITODOD.	DI IDICOI I		
			Each	Per 10
Rhododendron ca	arolinianum	(Carolina R	hodode	ndron).
		Bright pink		
June. 4 to 6		B P		,
*15 to 18			3.50	
18 to 24			3.75	33.80
	½ ft		4.50	40.00
$2\frac{1}{2}$ to 3	ft	******	6.00	55.00
R. catawbiense (Catawba Rl May-June.	nododendron) 6 to 9 ft.	. Larg	e, deep
	ft		4.50	42.50
$2\frac{1}{2}$ to 3	ft		5.00	45.00
3 to $3\frac{1}{2}$			6.00	54.00
$3\frac{1}{2}$ to 4			7.00	
- /2 10 1				
R. maximum (F	Pasahan Pha	dadandran)	Large	haarri
		white to ligh		
in June. 8 t		vinte to light	pink	DIOOIIIS
$\frac{111 \text{ Julie. } 0.1}{2}$			3.00	
$2^{1/2}$ to 3			3.50	
$\frac{272}{3}$ to $\frac{31}{2}$			4.00	
$3\frac{1}{2}$ to 4			5.00	
4 to 5			6.00	
5 to 6			9.00	
			12.00	
6 to 7	It		12.00	
R. maximum. H	eavy specim	en plants.		
2 to $2\frac{1}{2}$			4.00	36.00
$2\frac{1}{2}$ to 3		******	5.00	45.00
3 to $3\frac{1}{2}$			6.50	60.00
$3\frac{1}{2}$ to 4			7.50	70.00
4 to 5			9.00	85.00
5 to 6			12.00	110.00
, , ,	* **		12.00	110.00

HYBRID RHODODENDRONS

Hybrid Rhododendrons. They are particularly celebrated for their very large clusters of handsome flowers and clear color. Can furnish in shades of pink, lavender, white and crimson.

$1\frac{1}{2}$	to	2	ft	8.50	
2	to	$2\frac{1}{2}$	ft	12.00	
$2\frac{1}{2}$	to	3	ft	15.00	
3	to	$3\frac{1}{2}$	ft	18.00	

Deciduous Trees

Nothing can be planted which will grow so well and with so little attention and care as trees. The initial cost is small and paid for many times over by the beauty, pleasure and satisfaction which they bring.

Our collection includes trees adapted for tions, climates and soils.	all loca-
Each	Per 10
ACER dasycarpum (Silver Maple). Rapid	growing,
graceful, pendulous branches. Leaves silver	y under-
neath. 60 to 80 ft.	40.00
10 to 12 ft., 2 to 2½ in	40.00
12 to 16 ft., $2\frac{1}{2}$ to 3 in	63.00 81.00
3½ to 4 in 12.00	01.00
4 to $4\frac{1}{2}$ in	
$4\frac{1}{2}$ to 5 in 20.00	
5 to 5½ in 25.00	
$5\frac{1}{2}$ to 6 in	
6 to 8 in 35.00	
A. dasycarpum pyramidalis (Pyramidal Silver	
A narrow type with erect branches. 60 t	o 80 ft.
20 to 25 ft., 3½ to 4 in	
4 to $4\frac{1}{2}$ in	
$4\frac{1}{2}$ to 5 in	
5½ to 6 in 30.00	
A. ginnala (Amur Maple). Shrubby tree to 10	or 12 ft.
Graceful and valuable for bright autumn	foliage.
4 to 5 ft	13.50
5 to 6 ft	17.50
6 to 8 ft2.50	22.50
8 to 10 ft	
A. negundo (Box Elder). Rapid growing tree. height.	Medium
8 to 10 ft., 1½ to 2 in	22.50
2 to $2\frac{1}{2}$ in	27.00
$2\frac{1}{2}$ to 3 in	37.00
3 to $3\frac{1}{2}$ in	
A. Pennsylvanicum (Striped Maple). Green bar	k striped
white. 6 to 8 ft	
8 to 10 ft	
A. platanoides (Norway Maple). Excellent st	reet tree
forming a round, symmetrical head. 50 to	75 ft.
12 to 14 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in 4.00	36.00
14 to 16 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in 5.00	45.00
$1\frac{3}{4}$ to 2 in	54.00
2 to $2\frac{1}{4}$ in	63.00
$2\frac{1}{4}$ to $2\frac{1}{2}$ in. 8.00	72.00
*2½ to 3 in	117.50
*3 to 3½ in	147.50
*3½ to 4 in	177.50 190.00
*4½ to 5 in	240.00
*5 to 6 in 30.00	290.00
*6 to 7 in 45.00	430.00
*7 to 8 in 60.00	580.00
*8 to 10 in 80.00	750.00

ACER—Continued

		ACER-	-Conti	nued		
					Each	Per 10
A1-	tanoides ar		:	(X7		
A. pia	tanoides ar	gentea v	ariega	ta (var	regated .	wapiej.
30	mewhat slo	wer grov	vtn tna	in the ty	pe. Leav	es nave
a *6	silvery var				5.00	
*8		ft			5.00	
		ft			6.00	
		in. cal			7.00	
		eitenbacl				e-leaved
	aple). Leav		le. Br	illiant F	'all color	ring. 50
to	75 ft. 2 to 14 ft.					
*1	2 to 14 ft.	$1^{3/4}$ to		in	8.00	
		*2 to		in	9.00	
		*2½ to		in	10.00	
		*2½ to		in	12.00	
		*3 to	$3\frac{1}{2}$	in	15.00	
A. pl	atanoides s	schwedler		chwedler	i Purpl	e-leaved
	aple). Lea					
	g to green					8
*1	2 to 14 ft.	$1\frac{3}{4}$ to		in	7.50	70.00
	2 to 14 ft.	*2 to		in	9.00	85.00
		*21/4 to		in	10.00	95.00
		*2½ to		in	12.00	110.00
		*3 to		in	15.00	140.00
		*3½ to		in	20.00	190.00
		*4 to		in	25.00	
		*4½ to		in	30.00	
		*5 to	_	in	45.00	
		*6 to	7	in	60.00	
A pla	itanoides s	paethi				Maple).
	aves slight					
pl.	e-pink. 40	to 60 ft	or tha	11 1101 W	ay Map.	ic. I ul-
*1	$\frac{1}{2}$ to $1\frac{3}{4}$	in			7.00	
	$\frac{3}{4}$ to 2	in			8.00	
*2					10.00	
	$\frac{1}{2}$ to 3				12.00	
*3					15.00	
	$\frac{1}{2}$ to 4				20.00	
*4					25.00	
	½ to 5				30.00	
	udoplatanu				Large, v	icorous
A. pse	owing tree				d head.	
gr 75	ft.		etricai	rounge	d nead.	70 10
*1	ft. 0 to 14 ft.	$1\frac{3}{4}$ to	2	in	6.00	54.00
,	0 10 14 11.	*2 to		in	7.50	70.00
		*2½ to		in	10.00	95.00
		*3 to		in.	12.50	
		*3½ to		in.	15.00	
		*4 to		in	17.50	
		*4½ to	_	in	20.00	
		*5 to		in	25.00	
		*5½ to		in.	30.00	
		*6 to	_	in	40.00	
		*7 to	-	in.	50.00	
Δ1	rum (Red)					foliago
A. rub	rum (Red)	wapie).	Large	tree wit	n dense	Tollage.
30	arlet flower loring. Wi	li gran	in m	viet also	2 50 c-	75 f.
* 1	2 to 16 ft.	$\frac{11}{2}$ grow $\frac{1}{2}$	$\frac{10}{2}$ $\frac{1}{2}$	in	8.00	// It.
. 1	2 to 10 ft.		:0 2 7 2 :0 3		10.00	
				in	12.00	
			to 4	in	14.00	
		372	Т	111	17.00	

ACER—Continued

ACEK—Continued			
Each Per 10			
A. saccharum (Sugar Maple. Good street tree. More			
erect growth than Norway Maple. 50 to 75 ft.			
$1\frac{1}{2}$ to $1\frac{3}{4}$ in 5.00 45.00			
$1\frac{3}{4}$ to 2 in 6.50 58.50			
2 to $2\frac{1}{2}$ in			
$2\frac{1}{2}$ to 3 in. 14.00 130.00			
*3 to 3½ in 18.00 ——			
*3½ to 4 in 20.00 —			
*4 to 4½ in 25.00 ——			
*4½ to 5 in 30.00 ——			
*5 to 5½ in 40.00 ——			
6 to 7 in 60.00 ——			
7 to 8 in 75.00 ——			
YARANTAR YYARYAR			
JAPANESE MAPLES			
Acer japonicum aureum (Goldenmoon Maple). Very			
slow growing dwarf tree having a good golden			
slow growing dwarf tree having a good golden foliage. 6 to 8 ft.			
*2½ to 3 ft 20.00 —			
*4 to 5 ft			
*5 to 6 ft 40.00 —			
A. palmatum dissectum (Threadleaf Maple). Dwarf			
tree; slow growth, forming flat round head. Foliage			
is very lacy and attractive. 6 to 8 ft.			
*3 to 3½ ft 25.00 ——			
*3½ to 4 ft30.00 —			
*6 to 7 ft 60.00 —			
A. palmatum atropurpureum (Bloodleaf Japanese Ma-			
ple). Rich purple leaves all Summer. Makes splen-			
did lawn specimen. 6 to 8 ft.			
18 to 24 in 4.00 —			
2 to 2½ ft. 6.00 —			
2½ to 3 ft			
AESCULUS hippocastanum (Horsechestnut). Large			
symmetrical tree. A profusion of white flowers on			
long panicles in May. 50 to 75 ft. 8 to 10 ft., 1½ to 2 in			
8 to 10 ft., $1\frac{1}{2}$ to 2 in 5.00 —			
2 to 2½ in 7.50 ——			
2½ to 3 in 9.00 —			
3 to 3½ in 10.50 ——			
3½ to 4 in 12.00 —			
4 to 4½ in 13.50 —			
5½ to 6 in 25.00 —			
6 to 7 in			
AILANTHUS glandulosa (Tree of Heaven). Very rap-			
id growing tree Large leaves Theires and and			
id growing tree. Large leaves Thrives under ad-			
id growing tree. Large leaves. Thrives under adverse city conditions 50 to 60 ft			
verse city conditions. 50 to 60 ft.			
verse city conditions. 50 to 60 ft. 6 to 8 ft			
verse city conditions. 50 to 60 ft. 6 to 8 ft			
verse city conditions. 50 to 60 ft. 6 to 8 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 12 ft., 2 to 2½ in. 4.00 36.00			
verse city conditions. 50 to 60 ft. 6 to 8 ft. 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. 10 to 12 ft., 2 to $2\frac{1}{2}$ in. 12 to 14 ft., $2\frac{1}{2}$ to 3 in. 5.00 45.00			
verse city conditions. 50 to 60 ft. 6 to 8 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 12 ft., 2 to 2½ in. 4.00 36.00			

		Per 10
ALNUS incana pendula (Weeping Al	der). G	raceful,
drooping tree. Good green foliage. 2*12 to 14 ft., 2½ to 3 in	20 ft.	
*3 to 31/2 in	15.00	
*3½ to 4 in	20.00	
*4 to 5 in		
ATTECONATE : (FI : D I	\ A	· ·
AMYGDALUS persica (Flowering Peach	i). A pr	ofusion
of double pink, red or white bloss leaves appear. 8 to 10 ft.	oms ber	ore the
3 to 4 ft	1.25	
4 to 5 ft	1.50	
5 to 6 ft	2.50	
6 to 7 ft	3.00	
7 to 8 ft	3.50	
ARALIA spinosa (Devil's-walkingstick).	Stout ste	ms cov-
ered with thorns. Large foliage gives	tropica	l effect.
Clusters of white blossoms in Augu	st, follo	wed by
dark purple berries. 18 to 20 ft.		
3 to 4 ft	.75	0.00
4 to 5 ft	.90 1.25	8.00 10.00
6 to 8 ft	1.50	14.00
8 to 10 ft	2.00	17.50
10 to 12 ft	2.50	22.50
PROPERTY A 44 (F) NUTL TO 1 1	m 11	
BETULA alba (European White Birch)	I all, g	graceful
tree with thin drooping branches. B Does well in poor soil. 30 to 50 ft.	ark very	wnite.
6 to 8 ft	2.50	22.50
8 to 10 ft., 1 to 1½ in	3.50	32.50
10 to 12 ft., $1\frac{1}{2}$ to 2 in	4.00	37.00
2 to 2½ in	6.00	54.00
$2\frac{1}{2}$ to 3 in	7.50	72.50
$3\frac{1}{2}$ to 4 in	10.00 15.00	90.00
J / 2 to 1 1111	17.00	
B. alba laciniata (Cutleaf Weeping Bird	h). Gra	acefully
drooping tree. Suitable for lawn plan	nting. 3	
6 to 8 ft	4.00	37.00
8 to 10 ft	5.50 7.00	52.50
12 to 14 ft	10.00	
		6
B. lutea (Yellow Birch). Quick growing		
8 to 10 ft	3.50 4.50	32.50
B. populifolia (Gray Birch). Slender tree	; grayisl	h white
bark. 30 to 40 ft.	2 75	25.00
8 to 10 ft. 10 to 12 ft., 1½ to 2 in	2.75 3.50	25.00 32.50
2 to 2½ in		
CARPINUS betulus (European Hornl		Bushy,
slow growing tree. Smooth, gray bar 6 to 7 ft	k. 25 to 3,00	30 ft.
7 to 8 ft	4.00	
8 to 10 ft.	6.00	
10 to 12 ft.	8.00	
12 to 14 ft.	10.00	
14 to 16 ft	12.00	

	Each	Per 10
CATALPA bignonioides nana (Umbrella	Cataln	a) Ton
grafted on straight ends 4.6 ft hig	h Sumr	netrical
grafted on straight ends, 4-6 ft. hig round head makes this a useful t	ree for	formal
planting. 10 to 15 ft.	100 101	10111111
4 to 6 ft stems 4-vr head Ex Str.	3.00	
4 to 6 ft. stems, 4-yr. head, Ex. Str. 4 to 6 ft. stems, 5-yr. head, Ex. Str.	4.00	
4 to 8 ft. stems (specimens)	5.00	
C. speciosa (Western Catalpa). Tall, rap Useful for seashore planting. 50-60	id-growi	ng tree.
Oserul for seasnore planting. 30-00	150	
10 to 12 ft., 1½ to 2 in	2.50	22,50
21/ 40 2 3 3	4.00	
2 to 3 In	5.00	36.00 45.00
21/ 4- 4 :	7.00	47.00
3½ to 4 in 4 to 5 in	10.00	
7 10 / 111	10.00	
CERCIS canadensis (American Redbuc	1). Sma	all tree.
Very ornamental with its profusion	of ro	sy pink
Harvare in carly Spring		, ,
5 to 6 ft	2.00	
6 to 8 ft	3.00	
CORNELL OF THE CORNEL OF THE C		- "
CORNUS florida (White-flowering Do	gwood3.	Small,
symmetrical tree with spreading or dant white flowers in early Spring.	en top.	Abun-
dant white flowers in early Spring.	Red be	erries in
Fall. 20 to 25 ft.		
2 to 3 ft	.90	8.00
3 to 4 ft	1.50	12.50
4 to 5 ft	2.00	17.50
5 to 6 ft	3.00	27.50
6 to 8 ft., heavy	6.00	54.00
8 to 10 ft., heavy	12.00	115.00
10 to 12 ft., heavy	20.00	180.00
12 to 14 ft	25.00	
14 to 16 ft	30.00	
C. florida plena (Doubleflowering Dogwo	od). Sa	me hab-
it as Cornus Florida. Large double	white	flowers.
4 to 5 ft	6.00	
C. florida rubra (Red-flowering Dogwood	od). Sir	nilar in
type to Cornus florida. Profuse pir	k flowe	rs more
persistent than the white. 15 to 20 f	t.	
*2 to 3 ft	3.50	
*3 to 4 ft	5.00	
*4 to 5 ft	7.50	
*5 to 6 ft	10.00	
*6 to 8 ft	15.00	
CRATÆGUS coccinea (Thicket Hawtho	\ C.	11 +
to 15 or 20 ft. with shiny bright gre	ornj. Su	Score
let fruit.	en leave	s. Dear-
6 to 8 ft	4.50	
8 to 10 ft	6.00	
0 to 10 1t	0.00	
C. oxycantha (English Hawthorn). Sma	all slow-	growing
tree. Sweet-scented, white flowers, f	ollowed	by red
fruit. 12 to 15 ft.		
4 to 5 ft	2.50	
5 to 6 ft	3.50	
6 to 8 ft	5.00	
8 to 10 ft	6.50	
10 to 12 ft	8.00	

CRATÆGUS—Continued

CRATÆGUS—Continued	
Fa	ch Per 10
C. oxycantha alboplena (Double English I	Hawthorn).
Clusters of double white flowers. Red fru	
	.50 ——
	00 ——
	.00 ——
C. oxycantha splendens (Pauls Double Sc	arlet Haw-
thorn). Abundant showy scarlet flowers.	12 to 15 ft.
3 to 4 ft2.	25 ——
	00 27.50
5 to 6 ft	50 32.50
6 to 8 ft6.	00 —
8 to 10 ft 7.	00 ——
FAGUS americana (American Beech). Large	
rados americana (American Deech). Large	spreading
tree. Smooth gray bark is especially a Winter. 80 to 90 ft.	ttractive in
* 6 to 8 ft 10.	00
	00
*10 to 12 ft20.	
*12 to 14 ft 25.	
*14 to 16 ft 35.	
F. sylvatica (European Beech). A tree bran	ching very
close to the ground. Retains leaves near	ly all Win-
ter. 40 to 50 ft.	
ter. 40 to 50 ft. *12 to 14 ft40.	
*14 to 16 ft 50.	00 —
F. sylvatica pendula (Weeping Beech). A	sturdy pic-
F. sylvatica pendula (Weeping Beech). A sturesque tree with drooping branches had	nging nears
ly to the ground. Lustrous green leaves	in masses.
25 to 30 ft.	III III III III III III III III III II
*10 to 12 ft 45.	00
*12 to 14 ft60.	
*14 to 16 ft 75.	
*16 to 18 ft100.	
	ch). Low-
branching, symmetrical tree. Bright, 8	rlossy red-
dish-purple leaves. 40 to 50 ft.	,iossy, red
* 8 to 10 ft 40.	00
*10 to 12 ft 50.	
*12 to 14 ft60.	00
*12 to 14 ft. 60. *14 to 16 ft., specimens 70. *16 to 18 ft., specimens 80.	00
*16 to 18 ft., specimens	00
*18 to 20 ft., specimens	00
To to 20 It., specimens	
F. sylvatica rosomarginata (Rose-pink Bee	ch). Sym-
metrical tree. Foliage has unusually rosy-	pink varie-
gations. 30 to 40 ft. * 8 to 10 ft50.	00
*10 to 12 ft60.	
*12 to 14 ft 75. *14 to 16 ft 85.	
FRAXINUS americana (White Ash). Rapi	d growing,
native tree with clean, straight trunk, moist soils. 70 to 80 ft. 8 to 10 ft. 2.	Good in
moist soils. 70 to 80 ft.	00 1000
8 to 10 ft 2.	18.00
10 to 12 ft 4.	00 36.00
12 to 14 ft., $2\frac{1}{2}$ to 3 in	00
3 to 3½ in	00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
4 to 4½ in 12.	

Eac	h Per 10
GINKG0 biloba (Maidenhair Tree). Upright	t tree with
attractive open, irregular head. Resists i	nsects and
unfavorable city conditions 50 to 75 ft	
* 6 to 8 ft., 1 to 1½ in	00 27.50
* 8 to 10 ft., 1½ to 1½ in 4.0	37.50
*10 to 12 ft., $1\frac{1}{2}$ to 2 in 6.0	00 57.50
2 to 2½ in 10.0	
$2\frac{1}{2}$ to 3 in 15.0	
$\frac{3}{1}$ to $\frac{3}{2}$ in 20.0	
$3\frac{1}{2}$ to 4 in	00 ——
GLEDITSIA triacanthos (Common Honeyloo	T-11
thorny tree. Very fragrant, white flow	vers. May.
Thrives in gravelly soil. 60 to 70 ft.	vers. Iviay.
6 to 8 ft	14.00
8 to 10 ft2.0	
10 to 12 ft 2.5	
12 to 14 ft3.5	
HALESIA tetraptera (Great Silverbell). Sm.	all tree or
shrub. Very attractive white flowers.	
5 to 6 ft	0
KOELREUTERIA paniculata (Varnish Tre	e). Small
tree of irregular outline. Produces a mass yellow flowers. June-July. 25 to 30 ft.	s of bright
yellow flowers. June-July. 25 to 30 ft.	
* 4 to 5 ft 1.5	
* 5 to 6 ft	
0 10 0 11,	
* 8 to 10 ft	
7.0 to 12 1t	,,,
LARIX europaea (European Larch). Rapid	growing,
symmetrical tree. Attractive light green	foliage. 60
to 75 ft.	
*2 to 3 ft1.0	
*3 to 4 ft1.5	
*4 to 5 ft2.3	
*5 to 6 ft	/>
L. leptolepis (Japanese Larch). A very fa	st growing
tree. Extremely attractive, light green for	oliage.
6 to 8 ft	32.50
6 to 8 ft	60 42.50
TAOLIAN ALANA (C.)	CC 11
LIQUIDAMBAR styraciflua (Sweet-gum). having corky bark and glossy, star-shap	Tall tree
having corky bark and glossy, star-shap	bed leaves.
Attractive Autumn coloring. Thrives	in moist
places. 50 to 60 ft. *7 to 8 ft	75
	50 —
0 to 10 1tt T.,	, 0
LIRIODENDRON tulipifera (Tulip-tree). Str	aight, rap-
id growing tree. Tulip-like, pale yello	w flowers.
June-July. 70 to 80 ft.	
*6 to 8 ft 2 (00 18.00
*8 to 10 ft., 1 to 1½ in	
*1½ to 2 in	
*2 to 2½ in 6.0	
$*2\frac{1}{2}$ to 3 in	
*3 to 3½ in 10.0	
*3½ to 4 in 12.0	
*4 to 4½ in 16.0	00

	17 .1.	D 10
REACNION TA 1 (C 1 EX		Per 10
MAGNOLIA glauca (Sweetbay Magno	lia). A	ttractive
shrub or small tree with glossy gre sweet-scented creamy white flowers.	en rolla	age and
*3 to 4 ft.	6.00	
MALUS atrosanguinea (Carmine Crab).	Small t	ree hav-
ing a profusion of bright red blosson	ms. 12 t	
5 to 6 ft	2.00 3.00	18.00 27.50
6 to 8 ft	4.00	37.50
M. coronarius (Wild Sweet Crab). Frag	rant lig	nt pink
3 to 4 ft	1.50	13.50
4 to 5 ft	2.00	18.00
5 to 6 ft	2.50	22.50
M. floribunda (Japanese Flowering Crab) Singl	o white
flowers which are pink in bud, cover	the tre	e, Willie
attractive in Fall. Blossoms early	Spring.	12 to
15 ft.		
4 to 5 ft	2.50	22.50
5 to 6 ft	3.00	27.50
6 to 8 ft	4.00	37.50
M. ioensis plena (Bechtel Crab). Fragra	nt, doul	ole pink
blossoms. Late Spring. 12 to 15 ft.		-
2 to 3 ft	1.75	
3 to 4 ft	2.00	
4 to 5 ft	2.50	22.50
5 to 6 ft	3.50 5.00	32.50 45.00
8 to 10 ft	7.00	47.00
M. neidzwetzkyana (Red Vein Crab).	Attracti	ve deep
pink flowers. 6 to 8 ft	3.50	
8 to 10 ft	5.00	
10 to 12 ft,	7.00	
M. sargenti (Sargent Crab). Pure white	Troetr	compost
and dwarf Small scarlet fruits h	ang on	almost
and dwarf. Small scarlet fruits hi till Spring. Distinct.	ang on	amiost
3 to 4 ft	1.50	
4 to 5 ft	2.50	
5 to 6 ft	3.00	
M. scheideckeri (Scheideckeri Crab). Do	uble de	ep pink
flowers. Large yellow fruit. 10 to 15	ft.	• •
3 to 4 ft	1.50	
4 to 5 ft	2.50	22.50
5 to 6 ft	3.00	27.50
6 to 8 ft	4.50	42.50
MORUS alba pendula (Teas Weeping M	ulberry	. Small
weeping tree with dense growing b	ranches	droop-
ing to the ground. 6 to 10 ft.		
4 to 6 ft. stems, 4-yr. head 4 to 6 ft. stems, 5-yr. head	5.00	
4 to 0 ft. stems, 7-yr. head	6.00 7.50	70.00
6-yr. head7-yr. head	10.00	90.00
· · · · · · · · · · · · · · · · · · ·		70.00
PAULOWNIA tomentosa (Royal Paulo	wnia).	Rapidly
growing tree to 30 ft. Very large lea		
3 to 3½ in. cal	12.00	
4 to 4½ in. cal	15.00	

	Each I	Per 10
PLATANUS orientalis (Oriental Plane).	Rapid	grow-
ing tree with wide spreading, symm	netrical	head.
Excellent tree for city planting as it w	ithstand	s both
insect pests and city conditions 70 to	80 fr	
10 to 12 ft., 1½ to 1¾ in	4.00	36.00
$1\frac{3}{4}$ to 2 in	5.00	45.00
2 to $2\frac{1}{4}$ in	6.00	54.00
$2\frac{1}{4}$ to $2\frac{1}{2}$ in	7.00	63.00
$2\frac{1}{2}$ to 3 in	8.00	
$2\frac{1}{2}$ to 3 in	10.00	
POPULUS candicans (Balm-of-Gilead Po		Rapid
growing tree; very vigorous and hard	v. Laro	buds
are fragrant in the Spring. 50 to 60	ft.	Duus
10 to 12 ft.	2.00	18.00
12 to 14 ft.	2.50	22.50
$2\frac{1}{2}$ to 3 in	3.00	
$\frac{3}{3}$ to $\frac{31}{2}$ in	4.00	
3½ to 4 in	5.00	
P. eugenei (Carolina Poplar). Very rapid		
The cugenes (Carolina Poplar). Very rapid	growin	g tree.
Thrives in poor, dry soil. 60 to 75 ft. 6 to 8 ft. 8 to 10 ft., 1 to 1½ in	1.25	10.00
0 to 8 ft,	1.50	12.50
0 to 10 ft., 1 to 172 in	1.75	15.00
10 to 12 ft., $1\frac{1}{2}$ to 2 in	2.50	22.50
$\frac{2}{2^{1/2}}$ to 3 in	3.00	22.70
3 to 3½ in	3.50	
5 to 572 in	5.70	
P. nigra italica (Lombardy Poplar). Tall right tree, branching to the ground. 6 to 8 ft	, narro	w, up-
right tree, branching to the ground.	00 to 75	ft.
6 to 8 ft.	.90	7.50 9.00
8 to 10 ft	1.00	9.00
10 to 12 ft	1.50	
12 to 14 ft	2.50	
P. simoni (Simon Poplar). Small hardy *6 to 8 ft *8 to 10 ft	tree.	
*6 to 8 ft	1.25	10.00
*8 to 10 ft	2.00	18.00
PRUNUS armeniaca siberica pendula (W	eeping	Siber-
ian Apricot). Pendulous branches be	earing a	a pro-
ian Apricot). Pendulous branches be fusion of attractive light pink flowe	rs, app	earing
before the leaves.		
6 ft. stem, 4-yr. head	6.50	
P. Beni Hagan. Large pink flowering che	rry.	
4 to 5 ft.	4.00	
5 to 6 ft.	5.00	
	7.00	
P. blireana. Long slender branches bearing	purple	tinted
foliage. Semi-double flowers of apple	blossom	nink.
4 to 5 ft	2.50	
5 to 6 ft	3.50	
P. cerasifera (Myrabalan Plum). Flowerin		Bloss
soms white tinted pink.	8 Piuiii	D103*
4 to 5 ft	4.00	
P. cerasifera pissardi (Purple-leaf Plum) C	11
P. cerasifera pissardi (Purple-leaf Plum with dark purple leaves and small,	o Smal	tree
flowers. 12 to 15 ft.	pinkish	i-wnite
10wers. 12 to 1) ft.	1 25	11 25
4 to 5 ft	1.25	11.25
6 00 9 6	2.00	18.00
6 to 8 ft	3.00	27.00
4 to 5 ft	2.50	
4 to 5 ft	3.50	
/ to 0 It	2.70	

PRUNUS—Continued

	Each	Per 10
P. Kanzan. Pink flowering Japanese Ch	erry.	
4 to 5 ft	4.00	36.00
5 to 6 ft	5.00	45.00
7 to 8 ft	7.00	67.00
/ 10 0 11	7.00	07.00
P. Kofugen. Double pink flowering Jap	220ca C	harry
P. Kofugen. Double pink flowering Jap 3 to 4 ft	2 00	ilelly.
) to 4 it	2.50	
	3.50	
5 to 6 ft		
6 to 7 ft	5.00	
P. Onaden. Semi-double rose pink buds	33771	0
	wnite	nowers.
4 to 5 ft		
5 to 6 ft	4.50	
6 to 8 ft	6.00	
P. sieboldi pendula (Weeping Japanese ful, weeping tree, completely covblossoms in early Spring. 12 to 15 *4 to 6 ft. stem, 2-yr. heads	ered wi ft. 2.50 5.00 7.00	th pink
P. Veitchi, J. H. Double pink flow	ering	
3 to 4 ft	3.00	
4 to 5 ft		
T 10 / It	7.00	
PTELIA trifoliata (Common Hoptree) headed tree to 20 ft.		
6 to 7 ft	1.50	
7 to 8 ft		
8 to 10 ft	2.00	
QUERCUS palustris (Pin Oak). Symmon al tree with graceful, drooping by deeply cut. Fine lawn or street tree, *10 to 12 ft., 1½ to 2 in	1 -	E - 11
ROBINIA pseudoacacia (Common Locu growing tree. Fragrant white flower mer. Thrives under city conditions. 8 to 10 ft., 1½ to 2 in	a in an	.l C
2 to 21/2 in	4.50	42.50
2½ to 3 in	5.50	52.50
2 +0 21/2 in	6.00	72.70
21/2 40 4 3	7.00	
3 72 to 4 in	7.00	
SALIX Babylonica (Babylon Weeping graceful drooping branches. Thriv soil, but particularly appropriate fo 50 to 60 ft.	Willow es in a r waters). Long, ny good side.
*6 to 8 ft	2.00	
*8 to 10 ft	3.00	
0 10 10 11	5.00	

SALIX—continued

Each Per 10

S. caprea (Pussy Willow). Bush which	is attract	ive for
early Spring effect. Thrives in an	y good s	oil. 15
to 20 ft.		
*6 to 8 ft	1.25	
*8 to 10 ft	2,00	
S. elegantissima (Thurlow Weeping	Willow).	Wide
spreading tree of drooping habit. 5	0 to 60	ft.
* 8 to 10 ft		
*10 to 12 ft	5.00	
*12 to 14 ft	7.00	
*14 to 16 ft	9.00	
S. pentandra (Laurel Willow). Shining	rich dark	Treen
leaves; valuable for seashore plant	ing.	. 8.0011
6 to 8 ft		
8 to 10 ft	2.50	
10 to 12 ft		
10 10 10 10 10 10 10 10 10 10 10 10 10 1	1.70	
S. vitellina (Golden Willow). The brig	the golda	n hark
is especially effective in Winter. 25	to 30 ft	II Dark
*5 to 6 ft	1.25	11.00
*6 to 8 ft		11.00
0 to 8 ft	1.//	10.00
CODELIC /E M	. A .1. \ K	л. 1°
SORBUS aucuparia (European Mountain size tree. Brilliant orange-scarlet ber	1 Asn). N	lealum
der or lawn tree. 25 to 30 ft.	rries. God	ou bor-
	1.50	10.00
6 to 8 ft.	1.50	12.00
8 to 10 ft., 1 to 1½ in	2.00	18.00
10 to 12 ft., 1½ to 2 in	2.75 3.50	25.00 33.00
12 to 14 ft., 2 to 272 in	5.70	33.00
C	A 1 1 ·	1.6
S. quercifolia (Oak-leaf Mountain Ash). similar to type in general character,	L	d form
leaves resembling that of the oak.	but with	larger
6 to 8 ft	2.00	
8 to 10 ft		
0 to 10 1t	2.70	
TILIA amariana (Amarian Lindon)	Broad	marind.
TILIA americana (American Linden). topped tree. Large leaves. Suitabl	o for st	root or
lawn planting 60 to 70 ft	e for str	teet of
lawn planting. 60 to 70 ft. *1½ to 2 in	5.00	
*2 to 2½ in.	6.50	
*2 to 2½ in *2½ to 3 in *4½ to 5 in	10.00	
*4½ to 5 in	25.00	
*5 to 5½ in *7 to 8 in	35.00	
*7 to 8 in	60.00	
*8 to 10 in	75.00	
T. cordata (Littleleaf European Linden). Stron	g-grow-
ing, symmetrical tree. Small thin	leaves. Fi	ragrant
austrials blassams 50 to 60 to		
*Specimen, 2½ to 3 in	10.00	
*Specimen, 3 to 3½ in	15.00	
*Specimen, 3½ to 4 in	20.00	
*Specimen, 4 to 4½ in	25.00	
*Specimen, 2½ to 3 in	30.00	

TILIA—Continued

_						_		Per 10
T.	euchlora (Cr	imean	L	inden	1).	Deep	green,	glossy
	leaves. Good							
	*Specimen,	3 21/	to	3 1/2	in.		15.00	
	*Specimen,	2 7/2 4	to	4 1/2	in.		18.00 22.50	
	*Specimen, *Specimen,	41/2	to	5	in.		27.50	
	- p	.,.	••				-, ., .	
T. 1	heterophylla (
	with leaves				ree	abov	ve and	silvery
	beneath. 50 1 *Specimen	41/2	ft.	5	:		30.00	
	*Specimen,	T 72	10	,				
	*Specimen,	5 6	to	7			40.00 50.00	
	Specimen,	Ü	ιο	′	111.		70.00	
T.	tomentosa (Si	lver I	ind	len).	Br	oad, p	yramid	al tree.
	Leaves silvery	gray	uı	nderr	ieat	h. 60	to 70	ft.
	*Specimen,	3	to	$3\frac{1}{2}$	in.		15.00	
	*Specimen,	3 1/2	to	4			20.00	
		*4	to	4 1/2			25.00	
		*4½ *5	to	51/2			30.00	
		*51/2	to	6	in.		40.00	
		. , .						
T. 1	olatyphyllos (H	Bigleaf	Ει	ırope	an	Linder	n). Lar	ge, vig-
	orous growing	tree.	Lig	ht gi	reen	foliag	ge. 60 to	70 ft.
	*12 to 14 ft.	, 4	to	$4\frac{1}{2}$	in.		20.00	
		*5 1/2	to	6	in.		40.00	
œ	1 . (17)		. 1	,	٠, ,			_
1. v	ulgaris (Europ	ean L	ind	en). E.,	Vig	orous	growing	Juna
	pact, symmet 60 to 70 ft.	ricai	ree	. 1.15	agra	1111 110	wers in	june.
	* 6 to 8 ft.						4.50	42.50
	*10 to 12 ft.	21/2	to	3	in.		15.00	
	*Specimen,	3	to	$3\frac{1}{2}$	in.		20.00	
	*Specimen,	3 1/2	to	4	in.		25.00	
	*Specimen,	4	to	41/2			30.00	
	*Specimen,	4½ 5	to	5 1/2			35.00 40.00	
	*Specimen,	5 5 ½	to	6			45.00	
	*Specimen,	6	to	7			55.00	
ULI	MUS american	a (A	mer	ican	Eln	n). Ta	ıll symr	netrical
	tree, graceful		opi	ng.	Goo	d stre	et tree.	80 to
	100 ft. * 8 to 10 ft.			11/			2 75	25.00
	* 8 to 10 ft.	, I *11/	to	$\frac{1}{2}$	ın		2.75 4.50	25.00 40.00
		*2	to to				6.50	60.00
		*21/2	to		in.		8.00	75.00
		*3	to	$3\frac{1}{2}$			9.50	
		*4	to	5			25.00	
			, .		11 .			C 1
U. A	Americana Mol						variety	. Good
	foliage and sy						4.00	26.00
	8 to 10 ft., 10 to 12 ft.,	174 t	0 I	3/4 :	n n		4.00 5.00	36.00 48.00
	10 to 12 ft.,	$1\frac{3}{4}$ t	0 2	. i	n		6.00	
		2 t	0 2	1/4 i	n		8.00	

ULMUS—Continued

OEMOD Commueu		
•	Each	Per 10
U. Campestris (English Elm). Round branched tree.		
* 8 to 10 ft	6.00	
*10 12 f-	6.00	
*10 to 12 ft	8.00	
U. pumila (Asiastic Elm). A vigorous habit. Forms dense symmetrical he	ad.	of good
1½ to 2 in		45.00
2 to 2½ in		54.00
2½ to 3 in	7.50	
Deciduous Shr	ubs	
Hardy, flowering shrubs develop mo any class of trees, and are, therefore, i filling a new lawn where it is desirable to make a show as quickly as possible. It is our aim to produce everything in bery that is useful, hardy, and worthy of	ndispensa to get sor flowering	able for mething g shrub-
201,,,,		
ABELIA grandiflora (Glossy Abelia) Glossy green foliage; abundant pir	. Dwarf ak flower	s which
bloom continuously from July to 12 to 18 in.	\$.60	\$ 5.40
18 to 24 in.	1.25	10.00
ACANTHOPANAX pentaphyllum (Bush ching b	Aralia).
dark green foliage. 7 to 8 ft. 2 to 3 ft.	50	2 75
		3.75 4.50
3 to 4 ft		6.00
Transplanted engeimone		0.00
4 to 5 ft	1.80	16.00
5 to 6 ft	2.00	18.00
AMELANCHIER canadensis (Downy S	hadblow)	. White
flowers in early Spring before leav	es appea	r. 12 to
15 ft.		
2 to 3 ft	75	
) Dour
AMYGDALUS communis (Flowering ble-flowering blooms before leaves white, 8 to 10 ft.	; red, p	ink and
ble-flowering blooms before leaves	; red, p	ink and
ble-flowering blooms before leaves white. 8 to 10 ft. 2 to 3 ft.	; red, p	ink and
ble-flowering blooms before leaves white. 8 to 10 ft. 2 to 3 ft. 3 to 4 ft.	; red, p	ink and
ble-flowering blooms before leaves white. 8 to 10 ft. 2 to 3 ft	; red, p: 1.00 1.25	ink and r shrub,
ble-flowering blooms before leaves white. 8 to 10 ft. 2 to 3 ft	; red, p: 1.00 1.25). Borde s. 6 to 8	r shrub,
ble-flowering blooms before leaves white. 8 to 10 ft. 2 to 3 ft	; red, p. 1.00 1.25). Borde 5. 6 to 8	ink and r shrub,

_					
				Each	Don 10
Α7	ZALEA	ganda	avensis (Ghent Azalea		
4 12	and ye	llow	blossoms. May-June.	j. Orange,	pilik,
	*15 to	18 i	n	2.75	25.00
Α.	kaempfe	ri (T	orch Azalea). Orange-r	ed to pin	k flow-
	ers, in	May.	4 to 5 ft.	-	
			in		37.50
		o 2½ o 3	ź ft		47.50
		0 3	ft		
A.			nese Azalea). Large, o		
<i>-</i> ∩.			-June. 4 to 5 ft.	nange an	ia rea
	*12 t		in	2.00	18.00
	ata	o 18	in		27.00
		o 24	in ½ ft		
A.	to red.		itica Azalea). Flowers	vary from	white
		o 15		2.00	18.00
	*15 t	o 18	in	3.00	27.00
		o 24		4.00	36.00
		o 2½ o 3	ft	5.50 7.00	50.00
					1.1
A.	yodoga		Yodogawa Azalea). D ted with purple. Profus		
	4 ft.	spor	ted with purple, Frorus	e bloome	1.) 10
	*18 t	o 24	in	4.00	
		o 2½		5.00	
		o 3	ft 2 ft	7.00 9.00	
	.) [0 27	2 1t	9.00	
			NATIVE AZALEAS		
					~
A.	arboresc	ens (Sweet Azalea). Fragran	nt white	flowers
		e. Au 18	itumn foliage, bright re in		14 ft.
	18 to		in	2.50	
	2 to		ft	3.00	
	$2\frac{1}{2}$ to	3	ft	3.50	
A.	calendu	lacea	(Flame Azalea). A	mass of	bright
	orange-	red b	lossoms in June. 8 to 1	0 ft.	Ü
			in	3.00	
	$\frac{2}{2^{1/2}}$ to		ft	3.50 4.50	
	. –	4	ft	6.00	
		(D)	iedmont Azalea). Fragi	. 1. 1	1.
Α.			e. 4 to 5 ft.	rant, ligh	t pink
			in	2.75	25.00
	2 to	$2\frac{1}{2}$	ft	3.50	
	$2\frac{1}{2}$ to	3	ft	4.50	
A.	nudiflora	a (Pi	nxterbloom). Sweet-sce	nted, deet	pink
	flowers.	Jur	ne. 6 to 8 ft.		
	12 to	18	in	2.25	20.00
	18 to 2 to	$\frac{24}{2\frac{1}{2}}$	in	2.75 3.25	25.00 30.00
	$2^{1/2}$ to	3	ft	4.00	37.50
	3 to	4	ft	4.50	

AZALEA—Continued

AZALLA—Continued		
	Each	Per 10
A. viscosa (Swamp Azalea). Fragrant w	hite flor	wers in
Tuly, Likes moist situation, 4 to 5 ft		
12 to 18 in	1.25	11.00
12 to 18 in	1.50	14.00
2 to 2½ ft	2.25	
2½ to 3 ft	2.75	
BERBERIS thunbergi (Japanese Barberr	v). Low	hedge
plant or for masses: scarlet berries	and b	rilliant
plant or for masses; scarlet berries Autumn coloring. 4 to 5 ft.		
*12 to 15 inPer 100 15.00	.20	1.80
*15 to 18 inPer 100 16.50	.25	2.00
*12 to 15 in Per 100 15.00 *15 to 18 in Per 100 16.50 *18 to 24 in Per 100 20.00 *24 to 30 in Per 100	.35	2.50
B. thunbergi atropurpurea (Purpleleaf	Japanes	e Bar-
berry). Similar in habit to the thu foliage all Summer. 4 to 5 ft.	nbergi.	Purple
foliage all Summer. 4 to 5 ft.		
12 to 15 in	.50	
15 to 18 in 18 to 24 in	.75	6.75
	.90	8.50
B. thunbergi minor (Box Barberry). C	ompact,	dwarf
Japanese Barberry Excellent for	formal	dwarf
hedge. 2 to 3 ft.		
10 to 12 inPer 100 33.00	.40	3.60
12 to 15 inPer 100 40.00	.50	4.50
hedge. 2 to 3 ft. 10 to 12 in	.75	7.00
B. vulgaris (European Barberry). Vig shrub. Small yellow flowers in May. in clusters. 7 to 8 ft. 2 to 3 ft.	orous,	upright
shrub. Small yellow flowers in May.	Dull re	d fruit
in clusters. 7 to 8 ft.		
2 to 3 ft	.50	
3 to 4 ft	.60	
4 to 5 ft	.75	
B. vulgaris atropurpurea (Purple Bark	erry).	Similar
B. vulgaris atropurpurea (Purple Bark in habit to Vulgaris. Purple foliage.	7 to 8	ft.
2 to 3 ft	.50	4.50
2 to 3 ft	.75	6.00
4 to 5 ft	1.00	9.00
BUDDLEIA davidi veitchiana (Veitch	D	.1 .1 \
Gray green foliage and long spikes	Duttern	yousn).
		ер шас
flowers. June to September. 7 to 8 ft 2 to 3 ft	.45	4.00
3 to 4 ft.	.60	5.40
4 to 5 ft	.90	8.00
CALYCANTHUS floridus (Sweetshrub).		
good foliage. Reddish-brown, sweet-	scented	nowers.
June to September. 4 to 5 ft.	60	5.40
2½ to 3 ft	.70	6.30
3 to 4 ft.	.80	7.20
2 to 2½ ft	1.00	
CHIONANTHUS virginica (White Frin	getree).	Large,
upright shrub. Heavy, rich, green flowers. 15 to 18 ft.	foliage	. Lacy
15 to 18 ft. 2 to 3 ft	1.25	
3 to 4 ft	1.75	
) 10 T II	1.//	

	Each	
CLETHRA alnifolia (Summersweet).	Mediun	n size
shrub, thriving in damp, shady sp fragrant white flowers, July-Septemb	ots. Spi	kes of
18 to 24 in	er. / α	450
18 to 24 in	.75	6.50
3 to 4 ft	.90	8.50
4 to 5 ft	1.25	
CODNILIC alla (Tantanian Dannal) In	1	1
ing shrub. Bright red bark which tive in the Winter border. 8 to 10 ft 2 to 3 ft	is very	attrac-
tive in the Winter border. 8 to 10 ft		4.00
2 to 3 ft	.50	5.00
C. alba spaethi (Yellow-leaved Dogwood	\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	7.00
green foliage 12 to 15 ft		ow and
2 to 3 ft	.65	5.00
3 to 4 ft	75	6.50
4 to 5 ft	1.00	9.00
C. alternifolia (Pogoda dogwood). Branci	hes in h	orizon-
tal tiers. Blue-black fruit.		
2 to 3 ft		6.00
3 to 4 ft 4 to 5 ft	1.00	9.00
C. sanguinea (Bloodtwig Dogwood). Upri		
branches. Blue-black berries. 12 to	ght, bri	ght red
branches. Blue-black berries. 12 to 2 to 3 ft	50	4 50
3 to 4 ft	.75	6.00
4 to 5 ft	1.00	
CRATAEGUS, Hawthorn. (See Decidue	ous Tre	es).
CORYLUS avellana (European Filbert).		
shruh which hears its nuts ahundani	ly in A	utumn.
3 to 4 ft	1.25	11.00
5 to 6 ft		
CYDONIA japonica (Flowering Quin	nce). N	Medium
growing shrub, useful in masses or of scarlet flowers in May. 4 to 5 ft	hedges.	Masses
or scarlet nowers in May. 4 to 3 ft $1\frac{1}{2}$ to 2 ft	50	4.50
2 to 3 ft	.75	6.75
3 to 4 ft	1.00	6.75 9.00
DEUTZIA gracilis (Slender Deutzia).	Dwarf	Pure
DEUTZIA gracilis (Slender Deutzia). white flowers cover the plant. May.	3 ft.	
12 to 15 in	.40	3.50
15 to 18 in	.50	4.50
D. lemoinei (Lemoine Deutzia). Large,	white	flowers
in June. 4 to 5 ft. 2 to 3 ft.	50	4.50
3 to 4 ft	.75	4.70
D. scabra candidissima (Snowflake Deut		raceful.
vigorous growing shrub. Double w	hite flow	wers in
June. 9 to 10 ft. 2 to 3 ft		
3 to 4 ft.	.55	4.50
4 to 5 ft	.75	6.50
5 to 6 ft	1.25	
soms white tinted with pink. June. 6	to 8 fr	. D105*
2 to 3 ft	.50	4.00
3 to 4 ft	.60	5.50
4 to 5 ft	.75	6.50
5 to 6 ft	1.25	11.00

DEUTZIA—Continued

DEO 121A—Continued		
	Each	Per 10
D. scabra, Pride of Rochester (Pride of R		
vigorous grower. White flowers ting	ocnester	7. I all,
vigorous grower. White nowers ting	ea pink	. June.
9 to 10 ft. 2 to 3 ft.	5.0	4.00
2 to 3 it.	.50	4.00
3 to 4 ft	.60	5.00
4 to 5 ft	.75	6.50
ELAEAGNUS angustifolia (Russian green leaves; yellow blossoms and fro	n-olive).	Silvery
green leaves; yellow blossoms and fru	1it. 18 to	20 ft.
3 to 4 ft	.75	
4 to 5 ft	1.00	
) to 0 ft	1.20	
6 to 8 ft	1.50	
ENKIANTHUS campanulata (Redveir Charming ornamental shrub. Abunda	Enkia	nthus).
Charming ornamental shrub, Abunda	ant pale	orange
flowers in early Spring.	arr parc	0141180
flowers in early Spring. 18 to 24 in	2.00	
$\frac{1}{2}$ to $\frac{21}{2}$ ft	3.00	
$2\frac{1}{2}$ to 3 ft.	4.00	
EUONYMUS alatus (Winged Euonymu	\ T	
EUUN I WUS alatus (Winged Euonymi	is). Inte	eresting
corky bark. Attractive crimson Au	tumn co	oloring.
Makes fine specimen. 9 to 10 ft.	1.00	0.00
2 to 3 ft	1.00	9.00
2 to 3 ft	1.50	13.50
4 to) ft	2.25	20.00
5 to 6 ft		27.50
E. americanus (Brook Euonymus). Ere	ct shrub	. Pink
and yellow fruit. 7 to 8 ft.		
2 to 3 ft	.75 1.00	6.50
and yellow fruit. 7 to 8 ft. 2 to 3 ft	1.00	9.00
FORSYTHIA intermedia (Border For-	sythia)	Bright
FORSYTHIA intermedia (Border For- yellow flowers in early Spring before	leaves	unfold.
		4111 0141
2 to 3 ft.	.50	4.00
3 to 4 ft.	.60	4.00 5.00
6 to 8 ft. 2 to 3 ft	.80	
E suspense (Wesning Foresthis) Gran	oful de	ooning
branches. Attractive for planting bover retaining wall. 4 to 5 ft.	anks or	hang
over retaining wall 4 to 5 ft	aliks of	nang-
2 to 2 ft	50	4.50
3 to 4 ft.	.75	6.50
	1. 1	1
F. s. fortunei (Fortune's Forsythia). Are	ching br	anches.
Bright yellow flowers early in Sprin	g. / to	8 ft.
2 to 3 ft	.20	4.50
J 10 4 11	.//	
4 to 5 ft		
5 to 6 ft.	1.00	
F. viridissima (Greenstem Forsythia).	Strong-g	rowing,
upright habit, thick, dark green leav	es; flowe	rs later
than other varieties. 7 to 8 ft.		
F. viridissima (Greenstem Forsythia). Supright habit, thick, dark green leave than other varieties. 7 to 8 ft. 2 to 3 ft.	.50	4.50
3 to 4 ft	.75	6.00
4 to 5 ft	.90	
HAMAMELIS virginiana (Witch-hazel). Tall	shrub.
Yellow flowers in November, 12 to	o 15 ft.	
2 to 3 ft	.75	6.50
3 to 4 ft	1.00	8.00
2 to 3 ft	1.50	
5 to 6 ft	2.00	

	J ,	
		Per 10
HIBISCUS syriacus (Shrub-althea). Ta	all, well	-known
shrub, suitable for masses, hedges of	r formal	shear-
ing. Blooms in late Summer. 10 to	12 ft.	
H. s. amplissima. Double rosy-red.		
	1 00	
4 to 5 ft.	1.00	
H. s. Boule de Feu. Double red.		
2 to 3 ft	.50	4.50
3 to 4 ft	.75	
4 to 5 ft	1.00	
TT T 114 D 11 TW		
H. s. Jeanne d'Arc. Double White.	40	2.60
18 to 24 in	.40	3.60
2 to 3 ft	.50	4.50
	.75	7.00
1 00 / 101	1.00	
H. s. Lady Stanley. White shaded red.		
2 to 3 ft	.50	4.50
3 to 4 ft	.75	6.75
H. s. meehani. Variegated foliage.		
2 to 3 ft	1.00	9.00
3 to 4 ft	1.25	11.00
4 to 5 ft	1.50	
5 to 6 ft	2.00	
H. s. paeoniaeflora. White with cherry of	enter.	
2 to 3 ft.	.50	_
3 to 4 ft	.75	
4 to 5 ft	1.00	
H. s. rosea plena. Double red.		
3 to 4 ft	.75	
H. s. rubra plena. Double red.		
18 to 24 in.	.40	3.50
2 to 3 ft	.50	4.50
3 to 4 ft.	.75	
H. s. totus albus. Single white.		
3 to 4 ft	.75	6.50
4 to 5 ft		9.00
Hibiscus (Tree form Althaea). In varie	ty. Ver	y large
crown.		
3 to 5 ft. stems		
HYDRANGEA arborescens grandiflora	(Smoot	h Hy-
drangea). Large, pure white flowers,	Tune-Tu	ly. Use
in border or mass planting. 4 to 5 f	t.	
2 to 3 ft	.50	4.50
3 to 4 ft	.60	5.40
H. opuloides otaksa (Otaksa Hydrangea)	. A hal	f-hardy
Hydrangea: blossoms pink to blue.	3 to 4	ft.
Hydrangea; blossoms pink to blue.	3.00	
2 to 3 ft	3.50	
		blooms
H. paniculata grandiflora (Peegee). Large	, snowy	blooms
in August. 8 to 9 ft. 2 to 3 ft	.50	4.00
2 to 3 ft	.60	7.00
	.00	
H. paniculata grandiflora. Tree form.		
3 to 4 ft	1.50	14.00
4 to 5 ft	2.00	D 10
	Each	Per 10

.90

8.00

Each Per 10 Per 100	LIGUSTRUM—Continued	
L. ovalifolium nana (Lodense Privet). Dense, compact and dwarf. Excellent compact hedge for gardens. 2 to 3 ft. 12 to 18 in	Each Per 10 P	Per 100
and dwarf. Excellent compact hedge for gardens. 2 to 3 ft. 12 to 18 in. 50 4.00 30.00 18 to 24 in. 6.0 5.00 40.00 2 to 2½ ft. 75 6.50 Each Per 10 18 to 24 in. specimens 1.50 14.00 2 to 2½ ft. specimens 2.00 18.00 2½ to 3 ft. specimens 2.50 22.50 2.50 2.50 2.50 2.50 2.50 2.5	L. ovalifolium nana (Lodense Privet). Dense, co	mpact
12 to 18 in	and dwarf. Excellent compact hedge for ga	ardens.
Each Per 10	2 to 3 ft. 12 to 18 in 50 400	30.00
Each Per 10	18 to 24 in	
Each Per 10	2 to $2\frac{1}{2}$ ft	
Slightly drooping habit. Fragrant white flowers in May. 6 to 8 ft. 2 to 3 ft	Each 1	Per 10
Slightly drooping habit. Fragrant white flowers in May. 6 to 8 ft. 2 to 3 ft	18 to 24 in. specimens 1.50	14.00
Slightly drooping habit. Fragrant white flowers in May. 6 to 8 ft. 2 to 3 ft	$2^{1/2}$ to 3 ft. specimens	
May. 6 to 8 ft. 2 to 3 ft. 40 — 3 to 4 ft. 60 — 4 to 5 ft. 75 — L. morrowi (Morrow Honeysuckle). Wide spreading branches; flowers white. May-June. Bright red berries. 7 to 8 ft. 2 to 3 ft. 40 3.60 3 to 4 ft. 60 5.40 4 to 5 ft. 75 6.75 5 to 6 ft. 90 8.00 6 to 8 ft. 1.25 — L. ruprechtiana (Manchurian Honeysuckle). Tall bush, white flowers. Orange-red fruit. 8 to 9 ft. 2 to 3 ft. 40 3.60 3 to 4 ft. 60 5.00 4 to 5 ft. 75 6.00 5 to 6 ft. 90 — L. tatarica (Tatarian Honeysuckle). Symmetrical shrub. Abundant pink flowers and red fruit. 9 to 10 ft. 2 to 3 ft. 40 3.60 3 to 4 ft. 60 5.00 4 to 5 ft. 75 6.00 5 to 6 ft. 75 6.00 5 to 6 ft. 75 6.00 6 5.00 6 5.00 6 5.00 7 6 60 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		
May. 6 to 8 ft. 2 to 3 ft. 40 — 3 to 4 ft. 60 — 4 to 5 ft. 75 — L. morrowi (Morrow Honeysuckle). Wide spreading branches; flowers white. May-June. Bright red berries. 7 to 8 ft. 2 to 3 ft. 40 3.60 3 to 4 ft. 60 5.40 4 to 5 ft. 75 6.75 5 to 6 ft. 90 8.00 6 to 8 ft. 1.25 — L. ruprechtiana (Manchurian Honeysuckle). Tall bush, white flowers. Orange-red fruit. 8 to 9 ft. 2 to 3 ft. 40 3.60 3 to 4 ft. 60 5.00 4 to 5 ft. 75 6.00 5 to 6 ft. 90 — L. tatarica (Tatarian Honeysuckle). Symmetrical shrub. Abundant pink flowers and red fruit. 9 to 10 ft. 2 to 3 ft. 40 3.60 3 to 4 ft. 60 5.00 4 to 5 ft. 75 6.00 5 to 6 ft. 75 6.00 5 to 6 ft. 75 6.00 6 5.00 6 5.00 6 5.00 7 6 60 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	LONICERA fragrantissima (Winter Honeys	uckle).
3 to 4 ft.	Slightly drooping habit. Fragrant white flow	vers in
3 to 4 ft.	2 to 3 ft 40	
L. morrowi (Morrow Honeysuckle). Wide spreading branches; flowers white. May-June. Bright red berries. 7 to 8 ft. 2 to 3 ft	3 to 4 ft60	
branches; flowers white. May-June. Bright red berries. 7 to 8 ft. 2 to 3 ft		
branches; flowers white. May-June. Bright red berries. 7 to 8 ft. 2 to 3 ft	T	1.
3 to 4 ft	hranches: flowers white May-June Brig	eading
3 to 4 ft	berries. 7 to 8 ft.	iii ieu
4 to 5 ft	2 to 3 ft40	3.60
5 to 6 ft. .90 8.00 6 to 8 ft. 1.25	3 to 4 ft	
L. ruprechtiana (Manchurian Honeysuckle). Tall bush, white flowers. Orange-red fruit. 8 to 9 ft. 2 to 3 ft		
L. ruprechtiana (Manchurian Honeysuckle). Tall bush, white flowers. Orange-red fruit. 8 to 9 ft. 2 to 3 ft		
white flowers. Orange-red fruit. 8 to 9 ft. 2 to 3 ft		
4 to 5 ft	L. ruprechtiana (Manchurian Honeysuckle). Tal	l bush,
4 to 5 ft	white nowers. Orange-red fruit. 8 to 9 ft.	3 60
4 to 5 ft		5.00
L. tatarica (Tatarian Honeysuckle). Symmetrical shrub. Abundant pink flowers and red fruit. 9 to 10 ft. 2 to 3 ft	4 to 5 ft	6.00
2 to 3 ft	5 to 6 ft	
2 to 3 ft	L. tatarica (Tatarian Honeysuckle). Symmetrical	shrub.
2 to 3 ft	Abundant pink flowers and red fruit. 9 to	10 ft.
L. tatarica alba (White Tatarian Honeysuckle). Similar to preceding, with white flowers. 9 to 10 ft. 2 to 3 ft	2 to 3 ft	3.60
L. tatarica alba (White Tatarian Honeysuckle). Similar to preceding, with white flowers. 9 to 10 ft. 2 to 3 ft	3 to 4 ft,	5.00
to preceding, with white flowers. 9 to 10 ft. 2 to 3 ft	4 (0) 11	
2 to 3 ft	L. tatarica alba (White Tatarian Honeysuckle).	Similar
LYCIUM barbarum (Matrimony-vine). Spreading shrub suitable for banks or retaining walls. Purple flowers in June. Red fruit. 10 to 12 ft. 3 to 4 ft	to preceding, with white flowers. 9 to 10 ft.	4.00
LYCIUM barbarum (Matrimony-vine). Spreading shrub suitable for banks or retaining walls. Purple flowers in June. Red fruit. 10 to 12 ft. 3 to 4 ft	3 to 4 ft 60	5.00
LYCIUM barbarum (Matrimony-vine). Spreading shrub suitable for banks or retaining walls. Purple flowers in June. Red fruit. 10 to 12 ft. 3 to 4 ft	4 to 5 ft	6.00
shrub suitable for banks or retaining walls. Purple flowers in June. Red fruit. 10 to 12 ft. 3 to 4 ft	5 to 6 ft	
shrub suitable for banks or retaining walls. Purple flowers in June. Red fruit. 10 to 12 ft. 3 to 4 ft	LYCIUM barbarum (Matrimony-vine) Spr	eading
flowers in June. Red fruit. 10 to 12 ft. 3 to 4 ft	shrub suitable for banks or retaining walls.	Purple
MYRICA carolinensis (Northern Bayberry). Good, rich green foliage. Gray berries in clusters along the stem. Does well in poor or sandy soils		
MYRICA carolinensis (Northern Bayberry). Good, rich green foliage. Gray berries in clusters along the stem. Does well in poor or sandy soils	3 to 4 ft	
the stem lines well in moor or sandy soils.		
the stem lines well in moor or sandy soils.	MYRICA carolinensis (Northern Bayberry).	Good,
18 to 24 in	rich green foliage. Gray berries in clusters	along
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	18 to 24 in	6.50
$2\frac{1}{2}$ to 3 ft. 1.25 11.00	2 to 2½ ft	8.00
	2½ to 3 ft	11.00

MYRICA—Continued

Will Right Continued		
	Each	Per 10
M. cerifera (Bayberry). Useful in san	dy soil.	Good
foliage plant		
2 to 2½ ft	.75	7.00
2½ to 3 ft	1.00	9.00
3 to 4 ft	2.00	18.00
+ to / It	3.00	
5 to 5 ft	4.00	
6 to 8 ft	5.00	
PHILADELPHUS coronarius (Sweet	Mocko	range).
Erect shrub. Fragrant white flowers	in June	e. 9 to
10 ft.		
2 to 3 ft	.40	3.60
3 to 4 ft	.50	4.50
4 to 5 ft	.75	6.00
5 to 6 ft	.90	
Transplanted specimens.		
Transplanted specimens.	1 76	15.00
5 to 6 ft	1.75 2.25	15.00
		20.00
P. coronarius foliis aureis (Golden Mock	orange).	Dwarf
type. Golden leaves. 4 to 5 ft. 12 to 18 in.		
12 to 18 in	.75	6.00
18 to 24 in	1.00	9.00
P. falconeri (Star Mockorange). Shru arching branches. Fragrant white:	h with	slander
arching branches. Fragrant white	Howers i	n Tune.
7 to 8 ft.		ii juiio.
2 to 3 ft	.50	4.50
3 to 4 ft	.60	5.00
4 to 5 ft	.75	6.00
5 to 6 ft	.90	
Transplanted specimens.		
5 to 6 ft		15.00
6 to 7 ft	2.25	20.00
7 to 8 ft	2.75	25.00
P. gordonianus (Gordon Mockorange).	Free bl	ooming
shrub; white flowers in July. 10 to	12 ft.	
2 to 3 ft	.50	4.50
3 to 4 ft	.60	5.00
4 to 5 ft	.75	6.00
5 to 6 ft	.90	8.00
T 1 . 1		
Transplanted specimens.		
5 to 6 ft	1.75	15.00
6 to 7 ft	2.25	20.00
7 to 8 ft	2.75	25.00
P. grandiflorus (Big Scentless Mockoran	σο) Τ.	11 770 877
large white flowers in June. 8 to 1	0 ft	iii, very
2 to 3 ft		3.00
3 to 4 ft	.50	4.00
4 to 5 ft	.75	6.00
5 to 6 ft	.90	7.00
	.,,	, .00
Transplanted specimens.		
5 to 6 ft	1.75	15.00
6 to 7 ft	2.25	20.00
7 to 8 ft	2.75	
8 to 10 ft	3.50	

PHILADELPHUS—Continued

Each I	
P. nepalensis (Nepal Mockorange). Erect shrub;	white
flowers in June. 10 to 12 ft. 2 to 3 ft	4.00
3 to 4 ft	4.50
4 to 5 ft	6.00
5 to 6 ft	7.50
HYBRID MOCKORANGE	
PHILADELPHUS Avalanche (Avalanche Mockor	ange).
Tall, graceful shrub. White blossoms in	June.
8 to 10 ft.	
2 to 3 ft	5.50 8.00
P. lemoinei (Lemoine Mockorange). Compact plan	t with
spreading branches. Slightly fragrant white	lowers
2 to 3 ft	6.00
in abundance. June. 5 to 6 ft. 2 to 3 ft	
P. lemoinei erectus (Juno Mockorange). More co	
than Lemoinei, but similar otherwise. June.	8 to
10 ft	
2 to 3 ft	6.00
3 to 4 ft	7.50
P. Mont Blanc (Dwarf Mockorange). Very fr. white blossoms in profusion. June. 3 ft.	agrant
white blossoms in profusion. June. 3 ft.	
2 to 3 ft	5.00
) to 4 It	
PHYSOCARPUS opulifolius (Common Niebark).	Erect,
vigorous shrub. White flowers in July. 9 to 2 to 3 ft	3.50
3 to 4 ft	4.50
4 to 5 ft60	5.00
5 to 6 ft	6.00
Transplanted specimens.	
4 to 5 ft 1.50	14.00
5 to 6 ft	18.00
6 to 7 ft	
P. opulifolius aureus (Goldleaf Ninebark).	White
flowers; showy yellow foliage. 9 to 10 ft.	
2 to 3 ft	3.50
3 to 4 ft	4.50 5.50
	7.70
PRUNUS. (Also see Trees.)	
P. maritima (Beach Plum). Small white flowers.	April.
Purple fruit. Good for sandy soil or se	ashore
planting. 8 to 10 ft. 2 to 2½ ft	
2 to 2½ ft	
P. pissardi. (See Deciduous Trees.)	
P. triloba (Single flowering Plum). A profusi	of
single nink flowers in early Spring before least	ves.
single pink flowers in early Spring before leav 4 to 5 ft. 1.50	14.00

PRUNUS—Continued

PRONOS—Continued		
	Fach	Per 10
n . 11 1 (D 11 4 : D)		
P. triloba plena (Double-flowering Plum) of double pink flowers in early Spring	. A pi	ofusion
of double pink flowers in early Spring	g before	e leaves.
7 to 8 ft. 2 to 3 ft		
	1.00	9.00
3 to 4 ft	1.25	11.00
4 to 5 ft	1.50	14.00
5 to 6 ft	2.00	19.00
PYRACANTHA lalandi (Laland Firet)	norm)	Shrub
PYRACANTHA lalandi (Laland Fireth with slender branches. White flower	are and	bright
orango fruit	ers and	Diigiit
orange fruit. 3 to 4 ft	4.50	
4 to 5 ft	6.00	
5 to 6 ft	7.50	
6 to 7 ft.	9.00	
RHODOTYPOS kerrioides (Jetbead).	Good	border
shrub. Single white flowers in June.	Shinir	
berries all Winter. 4 to 5 ft.	D 111111	ig Diack
2 to 3 ft	.50	4.50
3 to 4 ft	.50 .60	5.40
4 to 5 ft	1.00	7.70
7 (0) 1(1.00	
RHUS canadensis (Fragrant Sumac spreading habit. Attractive red fruit liant red and orange Fall foliage. 4 to 3 to 4 ft). Ir	regular,
spreading habit. Attractive red fruit	in Jun	e. Bril-
liant red and orange Fall foliage. 4 t	o 5 ft.	
3 to 4 ft	.90	8.00
4 to 5 ft	1.25	10.00
D .: (C 1 T) 37 C	.1	11.1
R. cotinus (Smoke Tree). Very fine, fea flowers. July. Brilliant Autumn co	thery 1	ourplish
flowers. July. Brilliant Autumn co	oloring.	10 to
12 ft.		
18 to 24 in	.90	
2 to 3 ft	1.00	
3 to 4 ft	1.25	
4 to 5 ft	1.75	
R. glabra (Smooth Sumac). Crimson fr Useful in poor soils. 10 to 12 ft. 4 to 5 ft.	uit in	clusters.
Useful in poor soils, 10 to 12 ft.		
4 to 5 ft	75	6.00
5 to 6 ft	90	8.00
6 to 8 ft	1 25	10.00
8 to 10 ft	1 75	6.00 8.00 10.00 15.00
	1.//	17.00
ROBINIA hispida (Rose-acacia). St shrub. Rose-colored flowers in June.	rong	growing
shrub. Rose-colored flowers in June.	Develo	ps into
a mass. 5 to 6 ft. 2 to 3 ft		
2 to 3 ft	.75	6.50
3 to 4 ft	1.00	9.00
4 . 5 (.	2.00	
4 to 5 ft	1.25	
5 to 6 ft		
5 to 6 ft	1.25 1.50	
5 to 6 ft	1.25 1.50	can El-
5 to 6 ft	1.25 1.50	can El-
5 to 6 ft	1.25 1.50	can El-
5 to 6 ft	1.25 1.50 Ameri 2 ft. .50 .75	4.00 6.00
5 to 6 ft	1.25 1.50 Ameri 2 ft. .50 .75 1.00	4.00 6.00 9.00
5 to 6 ft	1.25 1.50 Ameri 2 ft. .50 .75	4.00 6.00 9.00
5 to 6 ft	1.25 1.50 Ameri 2 ft. .50 .75 1.00 1.25	9.00
5 to 6 ft	1.25 1.50 Ameri 2 ft. .50 .75 1.00 1.25	9.00
5 to 6 ft	1.25 1.50 Ameri 2 ft. .50 .75 1.00 1.25	9.00
5 to 6 ft	1.25 1.50 Ameri 2 ft. .50 .75 1.00 1.25 Small, fs	eathery ed with
5 to 6 ft	1.25 1.50 Ameri 2 ft. .50 .75 1.00 1.25	eathery ed with

SPIRAEA—Continued

	Each F	
S. bumalda, Anthony Waterer (Waterer	Spirea).	Deep
rose pink flowers all Summer.		
1½ to 2 ft	.50	4.00
2 to 2½ ft		5.00
2½ to 3 ft	.75	6.50
S. fortunei (Fortune Spirea). Pink-flow shrub. 3 ft.	wering, vi	gorous
1½ to 2 ft	.50	
2 to 2½ ft	.60	
2½ to 3 ft	.75	
S. japonica ovalifolia (White Japanese S dant white flowers in June-July. 3	ft.	
1½ to 2 ft 2 to 2½ ft	.50	4.00 5.50
21/2 2 6	.60 .70	7.50
2½ to 3 ft	.80	
•		
S. nipponica rotundifolia (Big Nippon green round leaves; white flowers	Spirea). in June.	Dark 8 to
9 ft.		
2 to 3 ft		4.50
3 to 4 ft.	.60	5.50
4 to 5 ft	.75	6.50
S. prunifolia plena (Double Bridal-v green foliage. Flowers white. May 2 to 3 ft	wreath). . 7 to 8	Dark ft.
2 to 3 ft.	.40	
3 to 4 ft	.60	5.40
4 to 5 ft	.75	
S. reevesiana (Reeves Spirea). Graceful	arching	shrub.
S. reevesiana (Reeves Spirea). Graceful Pure white, double flowers. May-Ju	une. 7 to	8 ft.
2 to 3 ft	.50	4.50
3 to 4 ft	.60	5.50
4 to 5 ft	.75	
S. thunbergi (Thunberg Spirea). Smal green leaves. Arching branches clowhite flowers. 4 to 5 ft. 2 to 3 ft	l feathery othed with	, light pure
7 to 3 ft	75	
S. tomentosa (Hardhack). Rose-pink	flowers.	July-
September. Good in low ground. 2 to 3 ft.	3 to 4 ft.	2.00
2 to 3 ft	.40	3.00 4.00
4 to 5 ft	.50 .60	5.50
S. vanhouttei (Vanhoutte Spirea). Grahabit. Profusion of white flowers. 9 ft.	iceful, dro May-June.	oping 8 to
2 to 3 ft	.35	3.00
3 to 4 ft		4.50
4 to 5 ft		6.75
5 to 6 ft	1.00	
STEPHANANDRA flexuosa (Cutleaf	Sambar -	adua)
Compact graceful drooping brane	hes Fr	rellent
Compact, graceful, drooping branc foliage. 5 to 6 ft.	iles. LX	Lenent
2 to 3 ft	.60	5.00
3 to 4 ft	.75	

	Each	Per 10	
STYRAX japonica (Japanese Snowbell) habit. White, bell-shaped flowers. J	Symr	netrical	
habit. White, bell-shaped flowers. J	uly. 1	2 to 15	
ft. 3 to 4 ft	75		
4 to 5 ft	.75 .90		
5 to 6 ft	1.25	11.50	
6 to 7 ft	1.50		
SYMPHORICARPOS racemosus (Commo	n Snow	berry).	
Good foliage. Abundant white berr moist half shady places. 5 to 6 ft. 2 to 3 ft	ies. Go	ood for	
moist half shady places. > to 6 ft.	50	4.00	
3 to 4 ft	.60	5.00	
S vulgarie (Coralharry) Compact grow	the P	od bor	
S. vulgaris (Coralberry). Compact grow ries persisting through the Winter. 2 to 3 ft	4 to 5	ft.	
2 to 3 ft	.40	3.60	
SYRINGA chinensis (Chinese Lilac). A	gracefu	l shrub	
bearing abundant purple flowers in	May. 8	3 to 10	
ft. 2 to 3 ft	.90	8.00	
3 to 4 ft		11.50	
3 to 4 ft	1.50	11.50 14.00	
S. josikaea (Hungarian Lilac). Tall	pen h	abit of	
growth. Deep green foliage. Pur	ple flor	wers in	
June. 3 to 4 ft			
4 to 5 ft	1.00 1.50	9.00 14.00	
5 to 6 ft	2.00		
S. persica (Persian Lilac). Free blooming	shruh	laven-	
S. persica (Persian Lilac). Free blooming der flowers. June. 9 to 10 ft. 2 to 3 ft	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, 14,011	
2 to 3 ft	1.00		
3 to 4 ft	1.50 2.00		
4 to 5 ft			
S. villosa (Late Lilac). Vigorous growth,	fragra	nt light	
purple flowers. June. 7 to 8 ft.	1.00	9.00	
4 to 5 ft		14.00	
5 to 6 ft	2.00		
S. vulgaris (Common Lilac). The we fashioned Lilac. May. 15 to 18 ft.	II-know	n old-	
fashioned Lilac, May, 15 to 18 ft.	II-KIIOW.	11, 014	
2 to 3 ft	.50	4.50	
3 to 4 ft	.75	6.75	
4 to 5 ft	1.50 2.50	14.00	
6 to 7 ft	3.50		
S unique alla (Camman Wiles I ilas)	W/1-:		
S. vulgaris alba (Common White Lilac). White variety of preceding. May. 12 to 15 ft. 2 to 3 ft			
2 to 3 ft	.75	6.75	
3 to 4 ft	1.25	11.50	
4 to 5 ft	1.75 2.50	15.00 22.50	
, to 0 It	2.70	22.50	
HYBRID LILACS			
S. alba grandiflora. Double white			
2 to 3 ft	1.00		
3 to 4 ft	1.50		

SYRINGA—Continued

	Each	Per 10
S. Charles the Tenth. Single, reddish,	purple.	
2 to 3 ft	1.00	9.00
3 to 4 ft	1.50	14.00
4 to 5 ft.	2.00	
5 to 6 ft	3.00	
S. Claude Bernard. Semi-double, bright		1600
2 to 3 ft	1.75 2.25	16.00 21.00
4 to 5 ft	3.00	27.00
5 to 6 ft	4.00	36.00
S. Emondi		, , , , ,
2 to 3 ft	.80	7.50
3 to 4 ft	1.25	11.50
4 to 5 ft	1.75	
S. Hugo Koster. Single lilac, reddish ting	ge.	
18 to 24 in	1.00	9.00
2 to 3 ft	1.50	14.00
S. Ludwig Spaeth. Single, dark purple.		
2 to 3 ft	1.00	9.00
3 to 4 ft.	1.50	14.00
4 to 5 ft	2.00	
	3.00	
S. Marechal Lannei. Semi-double, bluish 2 to 3 ft	1-Violet.	
3 to 4 ft	4.50	
4 to 5 ft	5.50	
S. Marie Legraye. Single white.	,,,,	
2 to 3 ft	1.00	9.00
3 to 4 ft	1.50	
4 to 5 ft	2.00	
S. Miss Ellen Wilmot. Double snow-whi 2 to 3 ft.	te.	
2 to 3 ft	3.25	30.00
3 to 4 ft	4.50	—
S. Mme. Lemoine. Double white.		
2 to 3 ft	1.25	11.00
3 to 4 ft	1.75	16.00
4 to 5 ft	2.00	
S. Montaigne. Double pinkish-mauve.	4.50	
3 to 4 ft	4.50	
4 to 5 ft	5.50 6.50	
S. President Fallieres. Double pale lave		
2 to 3 ft	3.25	30.00
3 to 4 ft	4.50	
4 to 5 ft	5.50	
S. President Grevy. Large double blue.		
2 to 3 ft	1.00	9.00
3 to 4 ft	1.50	14.00
4 to 5 ft	2.50	
5 to 6 ft	3.50	
TAMARIX africana (African Tamas	rix). F	eathery,
near seashore 12 to 15 ft	way.	Inrives
2 to 3 ft	.50	4.50
3 to 4 ft	.60	5.00
4 to 5 ft.	.75	6.75
5 to 6 ft	1.00	9.00
6 to 8 ft	1.25	11.30

	Each	Per 10
VACCINUM corymbosum (Highbush Bl	ueberry)	. Shrub
VACCINUM corymbosum (Highbush Bl of good habit, to 5 or 6 ft. Attrac shaped flowers and edible fruit.	tive, whi	te, bell-
18 to 24 in	1.00	9.00
2 to 3 ft	1.50	14.00
3 to 4 ft	2.00	17.50
4 to 5 ft	3.00	
5 to 6 ft	5.00 6.00	
VIBURNUM carlesi (Fragrant Viburnu	m). Sv	mmetri-
cal spreading shrub; very fragrant flowers. May. 4 to 5 ft. $1\frac{1}{2}$ to 2 ft.	; pinkis	h white
1½ to 2 ft	2.50	22.50
2 to 2½ ft	3.00	27.00
2½ to 3 ft	4.00	36.00
3 to 4 ft	6.00	
V. dentatum (Arrowwood). Large, syr	nmetrical	shrub,
V. dentatum (Arrowwood). Large, syr white flowers. Thrives in moist 10 to 12 ft.		
2 to 3 ft		4.50
3 to 4 ft	.75	6.50
4 to 5 ft	1.00	9.00
5 to 6 ft*7 to 9 ft., specimens	2.00	18.00
	6.00	
V. opulus (European Cranberrybush). Scarlet fruit in Midsummer. 8 to 9 2 to 3 ft	Upright ft.	
2 to 3 ft	.60	5.40
3 to 4 ft		7.00
4 to 5 ft		
V. opulus nanum (Dwarf Viburnum). rarely flowers. Useful as edging shr	Very co	ompact;
rarely flowers. Useful as edging shr	ub. $1\frac{1}{2}$	to 2 ft.
*10 to 12 in	.60	
*12 to 15 in*15 to 18 in	.80 1.00	7.00 9.00
*18 to 21 in	1.00	11.00
*21 to 24 in.	1.75	11.00
V. opulus sterilis (Common Snowball).	Perfectly	y round
heads of snow-white flowers. May o	r June.	9-10 ft.
2 to 3 ft	.60	5.40
3 to 4 ft		6.75
4 to 5 ft	1.00	9.00
V. tomentosum (Doublefield Viburnum). Sym	metrical
V. tomentosum (Doublefield Viburnum shrub; good foliage; flat heads o	f white	flowers.
June. 7 to 8 ft. 2 to 3 ft		
2 to 3 ft	.75	6.50
3 to 4 ft	1.00	
V. tomentosum plicatum (Japanese Sno	whall)	Double
white flowers; handsome purple I June. 7 to 8 ft.	Autumn	foliage.
2 to 3 ft	.90	
3 to 4 ft		
4 to 5 ft		-
WEIGELA. Abel Carriere (Carriere V	Weigela).	Rose-
colored; blooms in June. 7 to 8 f	.75	6.00
4 to 5 ft	1.00	9.00
5 to 6 ft	1.25	

WEIGELA-Continued

	WEIGELA—Continued		
		Each	D. 10
VV /	amabilia (Dan Waiada) I iala	Lacn	Per 10
w.	Iuno 7 to 8 ft	ink, bloss	oms in
	2 to 3 ft.	50	4 50
	3 to 4 ft	.75	6.50
	4 to 5 ft	1.00	9.00
	amabilis (Rose Weigela). Light p. June. 7 to 8 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	1.25	11.50
W.	candida (Snow Weigela). Lar	ge, pure	white
	flowers. June. 7 to 8 ft.		
	2 to 3 ft		
	3 to 4 ft.		7.00
	4 to 5 ft		9.00
w.			
w.	Eva Rathke (Red-flowering Weig flowers all Summer. 4 to 5 ft.	gela). C	armine
	2 to 3 ft	.75	6.00
	3 to 4 ft	1.00	9.00
	4 to 5 ft.	1.25	-
W.	nana variegata (Dwarf Variegated compact shrub. Leaves attractively pink flowers. June. 7 to 8 ft. 2 to 3 ft	Weigela).	Low.
	compact shrub. Leaves attractively	variegated	; pale.
	pink flowers. June. 7 to 8 ft.	Ü	, ,
	2 to 3 ft	.75	6.00
	3 to 4 ft	1.00	9.00
W.	rosea (Pink Weigela). Abundant pir	ak flowers.	June.
	7 to 8 ft. 2 to 3 ft		
			4.50
	3 to 4 ft	.75 1.00	6.50 9.00
	5 to 6 ft		9.00
77 A	NTHORHIZA apiifolia (Yellowroot		1 007700
Z/A	suitable for sandy soil). Ground	cover
	suitable for sandy soil. 12 to 15 in	.35	3.00
	15 to 18 in.	.40	3.50
~	1.5	-	
Se	creen and Boundar	v Pla	nts
BEF	RBERIS thunbergi (Japanese Barberr	y). Low	hedge
	plant or for masses; scarlet berrie	es and bi	rilliant
	Autumn coloring. 4 to 5 ft. *12 to 15 in	1.80	15.00
	*15 to 18 in	2.00	16.50
	*18 to 24 in		20.00
	*24 to 30 in		
LIG	USTRUM ovalifolium (California	Privet).	Stiff,
	upright shrub; universally used for	hedges.	10 to
	15 ft		
	1½ to 2 ft	1.00	6.00 8.00 9.00
	2 to 3 ft	1.30	8.00
	to 3 ft., extra heavy	1.50	9.00
	3 to 4 ft	1.80 2.50	12.00 18.00
no.	7 to 4 it., extra neavy	11. 1	10.00
KO	A rugosa (Rugosa Rose). Attractiv	e snrub i	white
	6A rugosa (Rugosa Rose). Attractiv rich green foliage. Large, single flowers. June-September. Large re	d fruit ir	Fall.
	Useful in shrub border or as hedge.	4 to 2 t	t.
	1½ to 2 ft. Each .50 2 to 3 ft. Each .60 3 to 4 ft. Each .75	4.50	33.00
	2 to 3 ftEach .60	5.00	40.00
	3 to 4 ftEach .75	6.50	55.00

Roses HYBRID PERPETUALS

Sturdy, two year, pot grown plants, \$1.00 each or \$8.50 per 10.

- Pinkish buds and magnificent *Frau Karl Druschki. snow-white blooms. Not fragrant.
- *General Jacqueminot. Scarlet crimson buds and clear red flowers. Deeply fragrant.
- *Mrs. John Laing. Large; cup-shaped blooms of clear pink. Sweetly fragrant.

HYBRID TEAS AND TEAS

- Sturdy, two year, pot grown plants, \$1.00 each or \$8.50 per 10.
- *Betty Uprichard. A spectacular double-colored rose of vivid coral and silky flesh-pink.
- *Charles K. Douglas. Crimson-scarlet, long pointed buds. Slightly fragrant.
- *Duchess of Wellington. Large buds of golden-orange, opening to saffron-colored sweetly fragrant blooms.
- *Etoile De Hollande. Brilliant red flowers of magnifi-cent size. Very fragrant.
- *General Mac Crimson-scarlet buds and Arthur. blooms. Very fragrant.
- *General-Superior Arnold Janssen. Light crimson, Fragrant, and long lasting blooms.
 *George C. Waud. A unique shade of light red, double
- blooms. Slightly fragrant.
- *Hadley. Rich crimson red flower. Fragrant.
- *Kaiserin Auguste Viktoria. A great favorite. Large double blooms and very fragrant.
- *Lady Alice Stanley. Large buds and blooms of coralrose and pale pink; sweetly fragrant.
- *Lady Margaret Stewart. Golden yellow shaded and streaked with orange and red. Not very fragrant.
- *Mme. Butterfly. Light pink buds and flowers. Richly perfumed.
- *Mme. Caroline Testout. Large rounded flowers of bright satiny-rose. Fairly fragrant.
- *Mrs. Edouard Herriot. Coral red buds opening to bright rosy-scarlet.
- *Mrs. Aaron Ward. Semi-double, cup-shaped, deep yellow flowers, fragrant; blooms until frost.
- *Mrs. A. R. Barraclough. Enormous pure pink flowers, shaded with clear yellow at base of petals. Unusually fragrant.
- *Mrs. Erskine Pembroke Thom. Slender yellow buds and large bright canary yellow blooms.
- *Mrs. Wakefield Christie-Miller. Clear rose to light pink, peony-like petals and sweet perfume.
- *Ophelia. Creamy white and pale pink blooms; very fragrant.

ROSES-Continued

- *Radiance. Large, light silvery pink to salmon-pink flowers on long stem.
- *Red Radiance. Big globular flowers of deep rose red.
- *Rev. F. Page-Roberts. Copper red buds opening to golden yellow and red blooms.
- isman. Brilliant red and gold buds opening to scarlet-orange and yellow blooms.
- *Ville De Paris. Round buds of clear yellow, opening to same untouched hue.

HYBRID RUGOSA ROSES

- Study, two year, pot grown plants, \$1.00 each or \$8.50 per 10.
- *Blanche Ddl. de Coubert. Large, pure white blooms. *Conrad F. Meyer. Large well formed silvery pink blooms.
- *F. J. Grootendorst. Bright crimson flowers. Blooms from early summer to frost.
- k Grootendorst. Clusters of small, fringed, clear shell-pink flowers. Blooms throughout season. *Pink Grootendorst.

CLIMBING ROSES

- Sturdy, two year, pot grown plants, \$1.00 each or \$8.50 per 10.
- *Christine Wright. Very large, semi-double flowers of a beautiful wild-rose pink.
- *Climbing American Beauty. Moderately fragrant rich carmine flowers.
- Bright coral buds and large orange-salmon flowers borne singly on stiff caned plants.
- *Dorothy Perkins. Clear cherry-pink, slightly fragrant flowers, borne in great profusion.
- *Dr. W. Van Fleet. Perfectly formed, long-pointed deep pink buds, opening to lighter shade of pink.
- *Gardenia. Lovely golden yellow buds that open to almost white when fully expanded.
- *Jacotte. Semi-double flowers of orange-yellow, tinted copper-red and borne in clusters.
- *Mary Wallace. Semi-double rose pink blooms; salmon color at base of petals.
- *Pauls Scarlet Climber. The brightest and purest red of all the pillar Roses. Vivid scarlet, shaded crimson semi-double flowers in clusters.
- *Silver Moon. Large semi-double white and creamy flowers that are borne in great profusion. *Star of Persia. Semi-double bright yellow flowers.

MISCELLANEOUS ROSES

- Sturdy, two year, pot grown plants, \$1.00 each or \$8.50 per 10.
- *Baby Ramblers (Polyantha Roses). Assorted colors of white, pink and red. Ideal for bedding purposes.
- *Rosa Hugonis. Light yellow flowers, borne profusely very early in the season.
- *Rosa setigera (Prairie Rose). Deep rose fading to white, almost scentless flowers.
- *Rosa Wichuraiana (Memorial Rose). Beautiful, fra-grant, pure white flowers, borne in great profusion.

Rose orders should be placed early in the season for best results.

VINES AND CLIMBERS

Each Per 10
AKEBIA quinata (Fiveleaf Akebia). Dainty vine with
AKEBIA quinata (Fiveleaf Akebia). Dainty vine with dark green leaf, persisting all Winter. Purple
flowers in May. 15 to 20 ft.
Medium plants
Extra strong plants 1.00 9.00
AMPELOPSIS quinquefolia (Virginia Creeper). Foli-
age takes on strikingly brilliant reds in Autumn.
30 to 40 ft.
Medium plants
Strong plants
Extra strong plants
A. tricuspidata veitchi (Japanese Creeper). Self-cling-
ing vine; brilliant Autumn foliage. Blue berries.
Strong plants
ARISTOLOCHIA sipho (Dutchmanspipe). Tall, twin-
ing vine. Large leaves; purplish flowers. June.
20 ft.
Medium plants 1.00 9.00
Extra strong plants 1.50 14.00
BIGNONIA grandiflora (Chinese Trumpetcreeper).
Good foliage; deep scarlet flowers. July. 20 to
25 ft.
Strong plants
CLEMATIS henryi (Winter Clematis). Large-flowering
white clematis. August. 18 to 20 ft.
Strong plants 1.00 —
C. jackmani (Jackman Clematis). Large-flowering pur-
ple Clematis. August. 18 to 20 ft.
Strong plants 1,00 9.50
C. paniculata (Sweet Autumn Clematis). Fragrant
white flowers. September. 20 to 25 ft.
Strong plants
EUONYMUS. (See Evergreen Shrubs).

HEDERA. (See Evergreen Shrubs).

Each Per 10
LONICERA japonica halliana (Hall Japanese Honeysuckle). Quick-growing vine; fragrant white
flowers. June. 15 to 20 ft. Strong plants
L. sempervirens (Trumpet Honeysuckle). Quick-growing vine, bright scarlet flowers. July-September.
15 to 20 ft. Strong plants
PERIPLOCA graeca (Silkvine). Dark green, glossy leaves, brownish purple flowers. July. 20 to 30 ft.
Medium plants .60 5.00 Strong plants .75 6.50
WISTERIA sinensis (Chinese Wisteria). Hardy climber, clusters of large violet-blue flowers. May. 40 to 50 ft.
Strong plants .90 8.00 Extra strong plants 1.50 14.00
W. sinensis alba (White Chinese Wisteria). Same as preceding, except flowers which are white.
Strong plants

PERENNIALS

It is no wonder that these grand, old-fashioned hardy garden flowers continue to increase in popularity. There is not a time during the whole flower season in which some hardy perennial is not in bloom.

Five plants of one variety given at 10 rate, and 25

plants of one variety given at 100 rate when 10 and 100
rates are mentioned. Large clumps, 35c. up.
Per 3 10 100
ACHILLEA ptarmica. Boule de Neige (Sneezewort).
White flowers. June-September. 18 in
AMSONIA tabernaemontana (Willow Amsonia). Pan-
icles of small, light blue flowers. May. 2 to 3 ft. .90 2.40 18.00
ASTILBE japonica (Japanese Astible). Plumes of white flowers. June-July. 2½ ft. 1.00 2.70 20.00
A. Queen Alexander. Plumes of pink flowers. July. 2 ft. 1.20 3.50 24.00
COREOPSIS grandiflora (Big Coreopsis). Yellow.
June-October. 2 to 3 ft75 2.20 15.00 HELIANTHUS decapetalus (Thinleaf Sunflower). Yel-
low. June-July. 4 ft75 2.20 15.00
HIBISCUS moscheutos (Common Rose-Mallow Pink).
August. 3 ft
HOSTA caerulea (BluePlaintainlily). Lavender flowers. July. 18 in90 2.40 18.00
H. undulata variegata (Variegated Leaf Plaintainlily).
Blue. August. 18 in90 2.40 18.00

PERENNIALS—Continued

PAEONIA Edulis Superba. Clear deep pink; blooms very early 2.25 Festiva Maxima. White center, crimson flecked. Blooms early 2.25 Louis Van Houtte. Bright red to crimson. Blooms late 2.70 Marie Lemoine. Large late bloom. Ivory white petals lightly edged with pink 2.70 Mme. Chaumy. Clear pink, very full and of good shape. Late 2.70 Rosea plena superba. Delicate pink and salmon flowers 3.00 PHLOX Large clumps \$.50 each; \$4.00 per 10. Per 3 10 100 Beacon. Red 90 2.40 — Boule de Feu. Cherry-red 90 2.40 — Mrs. Jenkins. Pure white 90 2.40 — Pink Beauty. Pale pink 75 2.20 15.00 Prof. Virchow. Bright crimson overlaid with orange scarlet 90 2.40 — Queen. Pure white 90 2.40 — Rijnstrom. Very large rose pink
PHLOX Large clumps \$.50 each; \$4.00 per 10.
Blooms early 2.25
Blooms late
Details lightly edged with pink 2.70
PHLOX Large clumps \$.50 each; \$4.00 per 10.
PHLOX Large clumps \$.50 each; \$4.00 per 10.
Large clumps \$.50 each; \$4.00 per 10. Per 3 10 100 Beacon. Red
Per 3 10 100
Boule de Feu. Cherry-red .90 2.40 — Mrs. Jenkins. Pure white .90 2.40 — Pink Beauty. Pale pink .75 2.20 15.00 Prof. Virchow. Bright crimson overlaid with orange scarlet .90 2.40 — Queen. Pure white .90 2.40 —
Boule de Feu. Cherry-red .90 2.40 — Mrs. Jenkins. Pure white .90 2.40 — Pink Beauty. Pale pink .75 2.20 15.00 Prof. Virchow. Bright crimson overlaid with orange scarlet .90 2.40 — Queen. Pure white .90 2.40 —
Mrs. Jenkins. Pure white .90 2.40 — Pink Beauty. Pale pink .75 2.20 15.00 Prof. Virchow. Bright crimson overlaid with orange scarlet .90 2.40 — Queen. Pure white .90 2.40 —
Pink Beauty. Pale pink
overlaid with orange scarlet90 2.40 —— Queen. Pure white90 2.40 ——
Queen. Pure white
Rijnstrom. Very large rose pink
Bloom
Riverton Jewel. Pink .90 2.40 — R. P. Struthers. Cherry red .90 2.40 —
RUDBECKIA laciniata (Golden-
glow). Yellow. August. 4 to 5 ft
ORNAMENTAL GRASS (Eulalia).
Large clumps 1.50 4.00 30.00 Extra large clumps 1.00 to 1.50 each

FRUIT DEPARTMENT

STANDARD APPLES

	E	ach
4 to 5 ft.		.00
5 to 7 ft.		.50
6 to 8 ft.	high 2	.00
7 to 9 ft.	high\$2.50 to 5	.00

SUMMER VARIETIES

Early Harvest. Very early, pale yellow; fine flavor and productive.

Yellow Transparent. Large, pale yellow; flesh white, tender and sweet.

Red Astrachan. Earliest. A large red, striped table Apple of high quality.

AUTUMN VARIETIES

Fall Pippin. Large yellow fruit.

Gravenstein. Very large, greenish-yellow; excellent flavor.

McIntosh. Red, extremely hardy, noted for bearing regularly.

Wealthy. Light yellow, nearly covered with red; white juicy flesh.

WINTER VARIETIES

Baldwin. Large, red highly colored, crisp and juicy.

Ben Davis. Large, yellow, covered with red.

Bellflower. Very large, pale lemon yellow. Flesh tender, juicy and crisp.

Delicious. Large; brilliant dark red Apple; flesh white, tender and juicy. Surpasses all others in flavor. Grimes Golden. Yellow. A hardy tree that bears an-

nually.

Jonathan. Medium size; red; good quality. Heavy bearer.

King. Large, red, juicy, abundant annual bearer.

Newtown Pippin. Large, yellow with brownish-red cheek; firm, crisp and juicy.

Northern Spy. Large, striped with red, flesh white and

Northern Spy. Large, striped with red, flesh white and fine-grained.

Rhode Island Greening. Large, yellow when fully ripe, tender and juicy.

Rome Beauty. Large, yellow, striped with red, flesh yellow and rather coarse grained.

Roxbury Russet. A standard Winter Apple, flesh greenish-white and crisp. Keeps late.

Spitzenburg. Large, light red, flesh yellow, crisp and richly flavored.

Stayman's Winesap. Of only fair size, but fine quality, bright red with yellow, juicy flesh.

Tolman Sweet. Pale yellow, tinged with red; medium size, rich and sweet.

Wagener. Yellow, highly colored with red; tender, juicy and bears early.

Winter Banana. Golden yellow, usually shaded crimson, flesh fine grained with a very rich flavor.

APPLES-Continued

Wolf River. Greenish-yellow, shaded crimson, juicy, slightly acid.

York Imperial. Medium, whitish, shaded with red, very good quality.

DWARF VARIETIES

					Each	Per 10
4	to	5	ft.	high	\$1.00	
				high		
6	to	7	ft.	high\$2.00 to	\$5.00	

Gravenstein. Very large, greenish-yellow, crisp Apple.

McIntosh. Beautiful rich red, delicious; medium sized.

Red Astrachan. Very early, large, red striped Apple of high quality.

Yellow Transparent. Large, pale yellow, flesh white, tender and juicy.

CRAB APPLES

					Each	Per 10
4	to	5	ft.	high	\$1.00	
5	to	6	ft.	high	1.25	\$11.50
6	to	8	ft.	high	1.75	16.50
7	to	9	ft.	high\$2.50 to	5.00	
lor	. T	are	70 6	ize dark crimson and ver	ry show	v

Hyslop. Large size, dark crimson and very showy. Transcendant. Red, showy and excellent.

STANDARD PEARS

					Each	Per 10
4	to	5	ft.	high	\$1.25	
5	to	6	ft.	high	1.50	\$14.00
				high	1.75	16.50
				high		21.50
8	to	9	ft.	high\$3.00 to	5.00	

SUMMER VARIETIES

Bartlett. Large, yellow, with red cheek; flesh rich and juicy.

Clapp (Clapp's Favorite). Large long, light yellow, with red cheek. Very juicy and rich.

AUTUMN VARIETIES

Duchess d'Angouleme. Very large, greenish-yellow; russet spots, juicy and fine.

Flemish Beauty. Large, pale yellow, mostly russeted. Flesh very juicy and sweet.

Kieffer. Large, yellow and red cheeked. Grain is coarse and is best for canning and preserving.

Lawrence. Medium size, fine golden yellow; sugary and aromatic.

Seckel. Medium to small; yellowish brown with red cheek; very rich and delicious.

Sheldon. Large; russet with red cheek; juicy and delicious.

DWARF PEARS

6 to 7 ft. high \$3.00 to \$5.00 Each

Bartlett. Large, yellow with red cheek; flesh rich and juicy.

Clapp (Clapp's Favorite). Large, yellowish-green with dark red cheek.

Seckel. Medium to small, yellowish-brown with red cheek, very rich and delicious.

CHERRIES

					Each	Per 10
				high	\$1.50	\$14.00
6	to	7	ft.	high	2.00	19.00
				high	2.50	24.00
6	to	8	ft.	high\$3.00 to	5.00	

SWEET VARIETIES

Black Tartarian. Large, bright purplish-black; flesh purplish, rich and delicious.

Governor Wood. Large, light yellow and red, juicy and sweet.

Schmidt's Bigareau. Black. Very meaty, mild and sweet. Windsor. Fruit large, liver-colored. Flesh firm and of fine quality.

Yellow Spanish. Large, pale yellow with red cheek; flesh firm and juicy.

SOUR VARIETIES

Early Richmond. Medium size, dark red, juicy, rich acid flavor.

Montmorency. Large for a sour Cherry, dark red, popular for canning.

QUINCES

				Each	Per 10
3	to	4	ft	\$1.50	\$14.00
4	to	5	ft	1.75	16.50
5	to	6	ft	2.00	19.00

Champion. Ripens late and bears regularly; excellent quality.

Orange. Large and fine, always bears an abundance of fruit.

PLUMS

					Each	Per 10	
5	to	6	ft.	high	\$1.50	\$14.00	
6	to	7	ft.	high	2.00	19.00	
6	to	8	ft.	high	2.50	24.00	
7	to	8	ft.	high\$3.00 to	5.00		

Green Gage. Round, greenish-yellow; rich and excellent. Lombard. Medium size, dark red with yellow, juicy flesh.

PEACHES

					Each	Per 10
3	to	5	ft.		\$0.75	\$6.00
				high		9.00
6	to	7	ft.	high	1.50	14.00

SUMMER VARIETIES

- Belle of Georgia. Very large, white with red cheek, flesh white, firm and of fine flavor. Freestone.
- Champion. Skin creamy white with red cheek. A perfect freestone.
- Crawford's Early. Very large, yellow with red cheek; rich and excellent.
- J. H. Hale. Very large, deep golden yellow, overlaid with bright carmine; flesh firm and of delicious flavor. Freestone.
- Mountain Rose. Large, red, flesh white, ripens early. First quality and freestone.

AUTUMN VARIETIES

- Crawford's Late. Very large, yellow with dark red cheek; flesh deep yellow, red at the stone; juicy and excellent flavor.
- Stump the World. Very large, creamy white with bright red cheek; flesh white, juicy and high flavored.

SMALL FRUITS

BLACKBERRIES

Each Per 10 \$0.15 \$1.20 Strong plants..... Blower. Large size, jet black, excellent quality.

Iceberg. The white Blackberry. Berries are sweet and with very few seeds.

Rathburn. A hardy, erect growing, but rather dwarf plant. Fruit very large, juicy, sweet and high flavored.

CURRANTS

	Each	Per 10	
Strong plants	\$0.35	\$3.00	
Extra strong plants	.50	4.50	
erry. The largest of all red Cur	rants:	berries	dee

red, quite acid.

Fay's Prolific. Stem long, berry large; red, good quality. Red Cross. Bunch and berry large, excellent quality.

White Grape. Long, loose bunches of medium-sized white berries; excellent quality, mild and sweet.

RASPBERRIES

				Each	Per 10
Strong	plants.			\$0.15	\$1.20
Cumberland.	Large	black	fruit.		

Cuthbert. Fruit is large, firm of texture, and of excel-

lent quality.

St. Regis. Bright red berries of good size and flavor; the best of the "everbearing" Raspberries.

GRAPES

	Each	Per 10
Medium plants	\$0.50	\$4.00
Strong plants	.75	6.00
Extra strong	1.00	8.00

BLACK VARIETIES

- Campbell's Early. A new, very large and early Grape, black, and sweet; strong, hardy vine; clusters unusually large and compact.
- Concord. The most popular black Grape; juicy, sweet, fine flavor.
- Worden. Big, compact bunches of extra large, thinskinned berries; very productive.

RED VARIETIES

- Catawba. Bunches medium; berries large, somewhat pulpy, juicy, aromatic and rich.
- Vergennes. New variety, berry red, sweet, juicy, delicious flavor.

WHITE VARIETIES

Each Per 10

Each Per 10

Strong plants	\$0.75	\$6.00
Extra strong plants	1.00	8.00
Desmond. Sweet, juicy and delicious.		
Diamond. Bunch and berry large, ex	tra fine	quality.
Green Mountain, Skin thin: pulp ver	v tender	and sweet

STRAWBERRIES

F	er	100
Early	\$3	.00
Midseason	3.	.00
Late	3	.00
Everbearing	4	.00

GOOSEBERRIES American Varieties

Medium plants	\$0.35	\$3.00
Strong plants	.50	4.50
Downing. Fruit greenish white, large	, soft	and juicy.
Houghton, Medium-sized, pale red.	sweet a	and juicy.

NUT TREES

						Ea	ch	Per	10
CORYLUS	maxima a height								
ing to	a neight	or 2	rt.;	abun	aant r	ruit	in	JCtob	er.

	-		,		
3	to	4	ft	1.75	
4	to	5	ft	2.25	
5	to	6	ft	2 75	

NUT TREES-Continued

Each Per 10

JUGLANS cinera		
		elicate flavor; very
nutritious; tree	s are hardy and	full-bearing.

6	to	8	ft	2.00	
8	to	10	ft	2.50	
10	to	12	ft	3.50	

J. nigra (Black Walnut). Relatively fast-growing; a fine specimen bearing especially tasty nuts.

5	to	6	ft	1.75	
6	to	8	ft	2.00	
8	to	10	ft	2.50	
10	to	12	ft	3.50	

J. sieboldiana (Japanese Walnut). Hardier than the English Walnut; nuts equally delicious. Grows quite rapidly into a broad, spreading specimen.

7	to	8	ft					3.00	
8	to	10	ft.					4.00	
10	to	12	ft.,	2 to	21/2	in.	cal	5.00	
12	to	14	ft.,	21/2	to 3	in.	cal	6.00	

ASPARAGUS

		1	er'	100
Strong	plants	***************************************	\$2.	.25
Extra	strong	plants	3.	.00

Conover's Colossal. Of large size, rapid growth, and excellent quality. Green.

Palmetto. A very popular variety of best quality. White.

RHUBARB

	Each	Per 10
Small plants	\$0.25	\$2.00
Medium plants	.35	3.00
Strong plants	.50	4.50

CALENDAR FOR SPRAYING FRUIT TREES

For general results, we recommend spraying fruit trees as follows:

First, spray with lime sulphur solution during the Winter.

Second, spray with Pyrox after the blossoms fall. Third, spray with Pyrox two weeks later.

This will control the most prevalent insects and fungous diseases attacking fruit trees on Long Island.

Plant fruit trees about your home grounds—for shade or ornament and for fruits for the table.

INDEX

AbeliaAbies	F	age	Hibiscus Holly Honeysuckle Hoptree Horsechestnut Hosta Hydrangea Ilex Iris Juglans Juniperus Koelreuteria Kolkwitzia Laburnum Larch	E	ach
Ahies		. 31	Hibiscus	42,	10
Acanthopanax		37	Honeysuckle	44	56
Acer25	, 26	, 27	Hoptree		34
Achillea		. 56	Horsechestnut		. 27
Abies Acanthopanax Acer 25 Achillea Aesculus Ailanthus Akebia Alnus Amelanchier Ampelopsis Amsonia		. 27	Hosta	***********	56
Akebia		. 55	Ilex	22.	43
Alnus		. 28	Iris		57
Amelanchier		. 37	Juglans		63
Ampelopsis		. 55 56	Juniperus9,	10,	11
Amygdalus	28	. 37	Koelreuteria		31
Apples	58	59	Kolkwitzia		43
Aralia		. 28	Laburnum		43
Aristolochia	, 18	, 19 55	Larch		31
Aronia		37	Leiophyllum		23
Ash		. 35	Lespedeza		43
Asparagus		. 63	Larch Larix Leiophyllum Lespedeza Leucothoe Ligustrum 43, Lilac Linden Liguidambar		23
Astiibe	30	. 26	Ligustrum43,	44,	52
Barberry	21	39	Linden	35.	36
Beech		. 30	Liquidambar		31
Berberis21	, 39,	52	Liriodendron		31
Betula		. 28	Locust	4.4	34
Birch		. 55 28	Lycium	.44,	44
Blackberries		61	Mahonia		23
Boxwood		21	Magnolia		32
Buddleia	91	39	Malus	9.0	32
Calveanthus	41,	39	Mackerange	20,	46
Carpinus		28	Morus		32
Catalpa		29	Myrica	.44,	45
Cedar	4,	5	Linden Liquidambar Liriodendron Locust Lonicera Lycium Mahonia Magnolia Malus Maple Mockorange Morus Myrica Nut Trees Oak Ornamental Grasses		63
Cercis	4,	29	Ornamental Grasses		57
Amelanchier Ampelopsis Amsonia Amygdalus Apples Aralia Arborvitae 17 Aristolochia Aronia Ash Asparagus Astilbe Azalea 21 Barberry Beech Berberis 21 Betula Bignonia Birch Blackberries Boxwood Buddleia Buxus Calycanthus Catalpa Cedar Cedrus Cercis Chamaecyparis Cherry Chionanthus Chokeberry	. 6.	7	Ornamental Grasses Pachysandra Paulownia		23
Cherry		34	Paulownia		32
Chionanthus		39	Peaches Pears Peony		61
Clethra	***************************************	40	Paony	.59,	57
Clematis	***********	55	Periploca.		56
Coreopsis		56	Philadelphus	.45,	46
Cherry Chionanthus Chokeberry Clethra Clematis Coreopsis Cornus Corylus Cotoneaster Crataegus Cryptomeria Cupressus Currants Cydonia	29,	40	Phlox		57
Cotonogston		40	Pigos 11	19	46
Crataegus	29.	30	Pieris	12,	23
Cryptomeria		7	Pinus13,	14,	15
Cupressus		7	Platanus		33
Cydonia		61	Populus	********	99
Cypress5.	6.	7	Privet43,	44.	52
Deutzia	40,	4 i	Prunus33, 34,	46,	47
Dogwood		29	Pseudotsuga		15
Elaeagnus	36	41 37	Pyracantha		47
English Ivy	00,	22	Quercus		34
Enkianthus		41	Quince		60
Euonymus	22,	41	Raspberries		61
Fagus	A	30	Phododondron		24
Flowering Crab		32	Rhodotypos		47
Forsythia		41	Rhubarb		63
Fraxinus		30	Rhus	9.4	47
Gloditain		31	Rosa	J4,	59
Gooseberries	***************************************	62	Roses 53.	54.	55
Grapes		62	Rudbeckia		57
Halesia		31	Salix	34,	35
Hawthorn	20	41	Sambucus		17
Hedera	40,	22	Peaches Pears Pears Peony Periploca Philadelphus Phlox Physocarpus Picea Pinus Pinus Pinus Plum Populus Privet 43, Prunus 33, 34, Pseudotsuga Pyracantha Quercus Quince Raspberries Retinospora Rhododendron Rhodotypos Rhubarb Rhus Rosa Roses Roses Sambucus Sciadopitys Snowberry Sorbus	*****	49
Helianthus		56	Sorbus		35
Cupressus Currants Cydonia Cypress 5, Deutzia Dogwood Elaeagnus Elm English Ivy Enkianthus Euonymus Fragus Fir Flowering Crab Forsythia Fraxinus Ginkgo Gleditsia Gooseberries Grapes Halesia Hamamelis Hawthorn Hedera Hellanthus Hemlock		20	Sciadopitys Snowberry Sorbus Spiraea	47,	48
77. 7 7	, ,				

INDEX—Continued

Pa	ige .	Pa	se
Spruce11, 12,	13	Tsuga	
Stephanandra	48	Ulmus	37
Strawberries	62	Vaccinium	51
Styrax	49	Viburnum	51
Sumac		Weigela51,	52
Symphoricarpos		Willow34,	35
Syringa49,		Wisteria	
Tamarix			
Taxus15,	16	Yew15,	
Thuja 17, 18, 19,		Yucca	23
Tilia35,	36	Zanthorhiza	52



LANDSCAPE SERVICE

We maintain a trained landscape organization who will gladly assist you with any modest planting scheme, or assume complete responsibility for the development of a large estate into an interesting landscape picture of delightful charm.

Every home, whether of simple or elaborate architectural conception, requires a planned landscape setting to complete the picture. Yet how often do we see the beauty of a well-designed structure sadly depreciated by lack of adequate shrubbery or by a planting attempt that lacks unity and harmony with the style of architecture it is supposed to enhance.

Why not consult our expert landscape architect in the handling of your problem? Write for our landscape folder.

Begin With a Plan

Have a complete plan prepared for your entire property, even though you intend to develop only a portion of the grounds at a time. In this way you can carry out as much or as little of the planting as you wish each season, secure in the belief that it is properly done as a part of an entire scheme.

This is the only way to avoid disappointments in effects and the necessity of needless transplanting of trees and shrubs which is bound to result where no definite plan serves as a guide.

This service is rendered free of charge.

